

2 CAVITY RIFLE BULLET MOLDS - LEE PRECISION 45 CALIBER (0.457") 405GR FLAT NOSE DOUBLE CAVITY MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Rifle Moulds](#)

All Lee mould blocks are made from aluminum because of its exceptional moulding qualities. All mould cavities are CNC machined for unmatched roundness and size control. All hollow base moulds are single cavity only as they have a self centering, automatic core pin for the fastest possible moulding. All moulds include handles and sprue plates.



Attributes

- Name: [LEE PRECISION 45 CALIBER \(0.457"\) 405GR FLAT NOSE DOUBLE CAVITY MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100053444
- Mfr. No.: 90374
- Bullet Weight (Grains): 405
- Caliber: 45 Caliber
- Cavities: -
- Diameter (in): 0.457
- Delivery weight: 0.318kg
- Shipping height: 52mm
- Shipping width: 66mm
- Shipping length: 274mm
- UPC: 734307903749

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 2 Cavity Rifle Bullet Molds Lee Precision 45 Caliber (0.457") 405gr Flat Nose Double Cavity Mold
- About Us

Safety Instruction Guide for 2 Cavity Rifle Bullet Molds Lee Precision 45 Caliber (0.457") 405gr Flat Nose Double Cavity Mold

Introduction

Thank you for choosing the Lee Precision 2 Cavity Rifle Bullet Molds. This guide provides essential safety instructions and guidelines to ensure safe usage and compliance with EU General Product Safety Regulation (GPSR). Please read this document carefully before using the product.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose: casting bullets for firearms.
- Always wear appropriate personal protective equipment (PPE) such as safety goggles, gloves, and protective clothing while using the mold.
- Keep the workspace clean and organized to reduce the risk of accidents.
- Ensure that children and vulnerable individuals are kept away from the workspace and the product.
- Regularly inspect the mold for any signs of damage or wear. Do not use if damaged.
- Follow all local laws and regulations regarding the use of firearms and ammunition.

Specific Safety Precautions for Use

- Use the mold in a wellventilated area to avoid inhalation of fumes from molten lead or other materials.
- Avoid contact with hot surfaces to prevent burns. The mold can become very hot during use.
- Do not overload the mold with lead; follow the manufacturer's guidelines for maximum capacity.
- Be cautious when handling molten lead. Use appropriate tools and techniques to prevent spills and splashes.
- Allow the mold to cool completely before cleaning or storing it.
- Do not attempt to modify the mold in any way, as this may compromise safety and functionality.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials, including lead, a heat source, and safety equipment.
- Ensure that your workspace is clean and free from distractions.

2. Setting Up the Mold:

- Place the mold on a stable, heatresistant surface.
- Attach the handles securely to the mold if they are not already attached.

3. Melting Lead:

- Use a suitable lead melting pot or furnace to melt the lead.
- Follow the manufacturer's instructions for the melting equipment.

4. Casting Bullets:

- Once the lead is melted, carefully pour it into the mold cavities.
- Fill the cavities to the recommended level, avoiding overflow.
- Allow the lead to cool and solidify according to the manufacturer's instructions.

5. Removing Bullets:

- Once cooled, carefully open the mold and remove the cast bullets using appropriate tools.
- Inspect the bullets for quality and consistency.

6. Cleaning the Mold:

- After use, allow the mold to cool completely.
- Clean the mold with a soft brush or cloth to remove any lead residue.
- Store the mold in a dry, safe place away from moisture.

Disposal Instructions

- Dispose of any lead scraps or waste material in accordance with local regulations regarding hazardous waste.
- Do not dispose of lead in regular trash. Contact local authorities for proper disposal methods.

Contact Information for Further Support

For any inquiries regarding safety or product use, please contact the manufacturer or your local distributor. Ensure that you have the product details on hand when seeking assistance.

By following these safety instructions, you can ensure a safe and efficient experience while using the Lee Precision 2 Cavity Rifle Bullet Molds. Thank you for your attention to safety and compliance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk