

GRIP TAPE FOR GEN 3 GLOCK® 26,27,28,33,39 - TALON GRIPS INC

GRIP RUBBER BLACK FOR GEN 3 GLOCK® 26,27,28,33,39

[Handgun Parts](#) > [Grip Parts](#) > [Grips](#)

Get More Control Over Your Glock

The Talon Gen 3 Glock Grip Tape ensures that Glock owners aren't stuck with the factory texture options on their pistol grips, enabling them to add the custom texturing they want with a simple aftermarket addition. The Talon Gen 3 Glock Grip Tape goes on easily and securely and can be removed at any time without permanently altering the grip frame in any way. The company's strong adhesive even attaches securely to Glock's Rough Textured Frame option. Full coverage is provided, including both grip panels, thumb rest, finger grooves, backstrap and beneath the trigger guard. Sold in rubberized and granulate textures Color: black Features all control cutouts The Talon Gen 3 Glock Grip Tape fits Glock's subcompact models in multiple calibers, specifically the G26, G27, G28, G33 and G39.



Attributes

- Name: [TALON GRIPS INC GRIP RUBBER BLACK FOR GEN 3 GLOCK® 26,27,28,33,39](#)
- Manufacturer: [TALON GRIPS INC](#)
- Product no.: 100053615
- Mfr. No.: 105R
- Ambidextrous Safety Cut: Yes
- Colour: Black
- Material: Rubber
- Model: 26,39,27,33,28
- Style: Wrap Around
- Surface: Textured
- Weapon type: Glock
- Delivery weight: 0.045kg
- Shipping height: 5mm
- Shipping width: 140mm
- Shipping length: 229mm
- UPC: 812308020327

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for GRIP TAPE FOR GEN 3 GLOCK® 26,27,28,33,39](#)
- [About Us](#)

Safety Instruction Guide for GRIP TAPE FOR GEN 3 GLOCK® 26,27,28,33,39

Introduction

Thank you for choosing the GRIP TAPE FOR GEN 3 GLOCK® 26,27,28,33,39 by TALON GRIPS INC. This product is designed to enhance the grip of your Glock pistol while ensuring safety and comfort during use. Please read this guide carefully to understand the safety precautions, installation instructions, and proper usage of the grip tape.

General Safety Guidelines

- Always ensure that your firearm is unloaded before applying or handling the grip tape.
- Keep the grip tape out of reach of children and vulnerable individuals.
- Regularly inspect the grip tape for wear and tear to maintain optimal performance.
- If you experience any adverse reactions to the material, discontinue use immediately and consult a medical professional.
- Familiarize yourself with your firearm's manual and safety features.

Specific Safety Precautions for Use

- **Adhesive Safety:** The grip tape uses a strong adhesive. Ensure that the surface of the grip is clean and dry before application to avoid any issues with adhesion.
- **Rough Textured Frame Compatibility:** The grip tape is designed to adhere securely to Glock's Rough Textured Frame. Ensure compatibility before application.
- **Removal:** The grip tape can be removed without damaging the grip frame. However, do so gently to avoid any potential residue or damage.
- **Usage in Wet Conditions:** Avoid using the firearm with the grip tape in extremely wet conditions as it may affect grip performance.
- **Age Restrictions:** This product is not intended for use by individuals under the age of 18 without adult supervision.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and safe to handle.
- Clean the grip surface thoroughly with a suitable cleaner to remove oils and dirt.

2. Application:

- Carefully peel the backing from the grip tape.
- Align the grip tape with the grip panels, ensuring full coverage over the areas specified (thumb rest, finger grooves, backstrap, and beneath the trigger guard).
- Press firmly to ensure secure adhesion, starting from one end and working to the other to avoid air bubbles.

3. PostApplication:

- Allow the adhesive to set for at least 24 hours before using the firearm to ensure optimal adhesion.
- Regularly check the grip tape for any signs of lifting or wear.

4. Removal:

- To remove, gently peel the grip tape from one corner and slowly pull away from the grip frame.
- If any adhesive residue remains, use a suitable adhesive remover to clean the surface.

Disposal Instructions

- Dispose of the grip tape and any packaging materials in accordance with local regulations.
- Do not incinerate the product as it may release harmful substances.

Contact Information for Further Support

For safety inquiries or additional support regarding the GRIP TAPE FOR GEN 3 GLOCK® 26,27,28,33,39, please refer to the manufacturer's website or contact their customer service directly.

Stay safe and enjoy the enhanced grip of your Glock!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk