

# **GRIP TAPE FOR GEN 3 GLOCK® 26,27,28,33,39 - TALON GRIPS INC**

## **GRIP GRANULATED BLACK FOR GEN 3 GLOCK® 26,27,28,33,39**

[Handgun Parts](#) > [Grip Parts](#) > [Grips](#)

### **Get More Control Over Your Glock**

The Talon Gen 3 Glock Grip Tape ensures that Glock owners aren't stuck with the factory texture options on their pistol grips, enabling them to add the custom texturing they want with a simple aftermarket addition. The Talon Gen 3 Glock Grip Tape goes on easily and securely and can be removed at any time without permanently altering the grip frame in any way. The company's strong adhesive even attaches securely to Glock's Rough Textured Frame option. Full coverage is provided, including both grip panels, thumb rest, finger grooves, backstrap and beneath the trigger guard. Sold in rubberized and granulate textures Color: black Features all control cutouts The Talon Gen 3 Glock Grip Tape fits Glock's subcompact models in multiple calibers, specifically the G26, G27, G28, G33 and G39.



### **Attributes**

- Name: [TALON GRIPS INC GRIP GRANULATED BLACK FOR GEN 3 GLOCK® 26,27,28,33,39](#)
- Manufacturer: [TALON GRIPS INC](#)
- Product no.: 100053616
- Mfr. No.: 105G
- Ambidextrous Safety Cut: Yes
- Colour: Black
- Material: Granulated
- Model: 39,26,27,28,33
- Style: Wrap Around
- Surface: Textured
- Weapon type: Glock
- Delivery weight: 4.536kg
- Shipping height: 5mm
- Shipping width: 140mm
- Shipping length: 229mm
- UPC: 812308020334

### **Item details**

Made in USA

US export classification: 0A501.y.1

# Table of Contents

- Startpage
- Safety Instruction Guide for GRIP TAPE FOR GEN 3 GLOCK® 26,27,28,33,39
- About Us

# Safety Instruction Guide for GRIP TAPE FOR GEN 3 GLOCK® 26,27,28,33,39

## Introduction

Thank you for choosing the Talon Grip Tape for your Gen 3 Glock models 26, 27, 28, 33, and 39. This product is designed to enhance your grip, providing a custom texture that improves handling and control. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

## General Safety Guidelines

- **Product Safety:** Ensure proper installation and use to avoid any potential hazards. This product is intended for use only on compatible Glock models.
- **Enhanced Recalls:** Stay informed about product recalls by checking the EU's Safety Gate platform regularly.
- **Online Shopping:** If purchased online, ensure the retailer meets EU safety requirements.
- **Special Consumer Focus:** Keep this product out of reach of children to prevent accidental use or injury.
- **EU Contact Point:** For any safety inquiries, refer to the manufacturer's contact information provided with your product.
- **Rapid Alerts:** Monitor updates regarding unsafe products through the Safety Gate system.

## Specific Safety Precautions for Use

- **Installation:** Follow the installation instructions carefully to ensure the tape adheres properly and does not interfere with the operation of the firearm.
- **Handling:** Always handle your firearm responsibly and ensure it is unloaded before applying the grip tape.
- **Adhesive:** The strong adhesive is designed for secure attachment. Ensure the surface is clean and dry before application to avoid any peeling or lifting.
- **Removal:** The tape can be removed without damaging the grip frame. If you choose to remove it, do so carefully to avoid any residue.
- **Environmental Conditions:** Avoid exposing the grip tape to extreme temperatures or moisture, as this may affect its performance.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure the firearm is unloaded and safe to handle.
- Clean the grip area of your Glock with isopropyl alcohol to remove any oils or dirt.
- Allow the surface to dry completely.

### 2. Application:

- Carefully peel the backing from the grip tape.
- Align the tape with the grip panels, ensuring full coverage of the grip area.
- Press firmly to secure the tape in place, smoothing out any air bubbles.
- Ensure that all control cutouts are accessible and that the tape does not obstruct any functions of the firearm.

### 3. PostInstallation:

- Allow the adhesive to set for at least 24 hours before using the firearm to ensure optimal adhesion.

- Regularly check the tape for any signs of wear or lifting. Replace as necessary.

## Disposal Instructions

- Dispose of any unused grip tape and packaging materials responsibly, following local regulations for waste disposal.
- Do not incinerate the product, as it may release harmful substances.

## Contact Information for Further Support

For further assistance or inquiries regarding the Talon Grip Tape, please refer to the manufacturer's contact information included with your product packaging. Always ensure you are using the product in compliance with local laws and regulations regarding firearms.

Thank you for your attention to these safety guidelines. Enjoy enhanced grip and control with your Talon Grip Tape!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)