

AR-15/M16 GAS BLOCKS - SADLAK INDUSTRIES AR-15 CLAMP-STYLE LO-PRO GAS BLOCK .875 STEEL BLACK

[Rifle Parts](#) > [Gas System Parts](#) > [Gas Blocks](#)

Minimal Profile to Fit Under Handguard Or With Integral Accessory Rail

All of SADLAK's Gas Blocks are made in the USA by craftsmen with years of experience delivering consistent quality. All the bores are precision honed and all critical measurements are 100% inspected to insure consistency and quality. Available in a multitude of sizes and styles, Sadlak's Gas Blocks are a great option if you are building an AR or if you are just looking to upgrade. The Gas Blocks are available in .625", .750", .875", or .936". They also feature option such as Clamp-Style, Slip-On, Skeletonized, or Adjustable, and all attaching hardware is included. All Gas Blocks except for the Picatinny Rail Gas Block are Low-Profile. Finishes include Black Nitride or Manganese Phosphate. The Sadlak Gas Blocks Mounts securely to barrel with included setscrews. Clamp-on models squeeze around the barrel as you tighten the side-mounted setscrews. Slip-on models are anchored by setscrews on the underside. Low Profile fits under a free-float handguard and lets you use a longer on carbine-length barrels for a clean, streamlined look with more gripping surface. Extended Nose is like Low-Profile, but with an extended sleeve that covers taper pin holes left by the issue A2-style sight tower.



Attributes

- Name: [SADLAK INDUSTRIES AR-15 CLAMP-STYLE LO-PRO GAS BLOCK .875 STEEL BLACK](#)
- Manufacturer: [SADLAK INDUSTRIES](#)
- Product no.: 100054240
- Mfr. No.: GB151
- Inside Diameter: .875
- Material: Steel
- Style: Clamp-On, Low Profile
- Weapon type: AR-15
- Delivery weight: 0.091kg
- Shipping height: 25mm
- Shipping width: 102mm
- Shipping length: 102mm
- UPC: 855981008466

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instructions for SADLAK INDUSTRIES AR15 ClampStyle LoPro Gas Block
- About Us

Safety Instructions for SADLAK INDUSTRIES AR15 ClampStyle LoPro Gas Block

Introduction

Thank you for choosing the SADLAK INDUSTRIES AR15 ClampStyle LoPro Gas Block. This product is designed to enhance the performance of your AR15 firearm while ensuring safety and reliability. Please read this safety instruction guide carefully to understand how to use this product safely and effectively.

General Safety Guidelines

- Ensure that you are familiar with the operation of your firearm and its components before using this gas block.
- Always handle firearms with care and treat every firearm as if it is loaded.
- Keep the gas block and all firearm components out of the reach of children and unauthorized users.
- Inspect the gas block for any damage or defects before installation. Do not use if damaged.
- Follow all local laws and regulations regarding firearm modifications and accessories.
- Always wear appropriate safety gear, such as eye protection, when handling firearms.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before installing or adjusting the gas block.
- Do not exceed the manufacturer's specifications for barrel dimensions and gas block compatibility.
- Be aware that improper installation can lead to malfunctions or unsafe conditions.
- If you experience any unusual sounds or malfunctions while using your firearm, stop using it immediately and consult a qualified gunsmith.
- Use only the hardware provided with the gas block for installation. Do not substitute with other fasteners.

Instructions for Installation and Usage

1. Preparation

- Ensure that the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools: an appropriate wrench for tightening setscrews.

2. Installation

- Remove the existing gas block (if applicable) by loosening and removing the setscrews.
- Clean the barrel area where the gas block will be installed to ensure a secure fit.
- Position the SADLAK gas block on the barrel at the gas port.
- For ClampOn models, tighten the sidemounted setscrews evenly to secure the gas block. Ensure it is firmly attached without overtightening.
- For SlipOn models, position the gas block and secure it using the setscrews on the underside. Ensure it is anchored firmly.
- Verify that the gas block is aligned and does not obstruct any other components.

3. Usage

- After installation, conduct a function check of the firearm to ensure that it operates correctly.
- Regularly inspect the gas block during routine firearm maintenance to ensure it remains secure and free of debris.

Disposal Instructions

- Dispose of the gas block responsibly. If it is no longer usable, follow local regulations for disposing of metal components.
- Do not dispose of the gas block in regular household waste.

Contact Information for Further Support

For any questions or concerns regarding the installation or use of the SADLAK INDUSTRIES AR15 ClampStyle LoPro Gas Block, please refer to your retailer or consult a qualified gunsmith for assistance.

Conclusion

By following these safety instructions, you can ensure a safe and effective experience with your SADLAK INDUSTRIES AR15 ClampStyle LoPro Gas Block. Always prioritize safety and compliance with local laws when handling firearms and their components. Thank you for your attention to these important safety guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk