

# AR-15 A2 SIGHT ADJUSTMENT TOOL - SADLAK INDUSTRIES A2 SIGHT ADJUSTMENT TOOL

[Gunsmith Tools](#) > [Sight & Scope Installation Tools](#) > [Sight Adjusting Tools](#)

A2 Front Sight Adjustment Tool. 4-Prong round, Knurled Body, Manganese Phosphate with Laser Engraving. SADLAK's Front Sight Posts are milled in the USA by skilled lathe operators with years of experience delivering consistent quality and fit.



## Attributes

- Name: [SADLAK INDUSTRIES A2 SIGHT ADJUSTMENT TOOL](#)
- Manufacturer: [SADLAK INDUSTRIES](#)
- Product no.: 100054247
- Mfr. No.: 15-150021
- Weapon type: AR-15
- Delivery weight: 0.091kg
- Shipping height: 25mm
- Shipping width: 51mm
- Shipping length: 102mm
- UPC: 855981008558

## Item details

Made in USA

# Table of Contents

- Startpage
- AR15 A2 Sight Adjustment Tool Safety Instruction Guide
- About Us

# AR15 A2 Sight Adjustment Tool Safety Instruction Guide

## Introduction

Thank you for choosing the AR15 A2 Sight Adjustment Tool by Sadlak Industries. This guide provides essential safety instructions and usage guidelines to ensure the safe operation of your sight adjustment tool. Please read this manual carefully before using the product.

## General Safety Guidelines

- Always read and understand the instructions before using the tool.
- Ensure that the tool is used only for its intended purpose.
- Keep the tool out of reach of children and unauthorized users.
- Inspect the tool before each use for any signs of damage or wear.
- Use proper personal protective equipment (PPE) such as safety glasses and gloves.
- Be aware of your surroundings and ensure that no one is in the line of operation.
- Do not modify the tool in any way that may compromise its safety or effectiveness.
- Store the tool in a dry and secure location when not in use.

## Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before making any adjustments.
- Always point the firearm in a safe direction while using the tool.
- Avoid using excessive force when adjusting the sight to prevent damage.
- Do not use the tool in wet or damp conditions to avoid slipping.
- If you experience any discomfort or pain while using the tool, stop immediately and reassess your technique.
- Follow all local laws and regulations regarding firearm modifications and adjustments.

## Instructions for Installation and Usage

### 1. Preparation

- Ensure the firearm is completely unloaded.
- Gather all necessary tools and equipment.

### 2. Using the A2 Sight Adjustment Tool

- Align the tool over the front sight post.
- Engage the prongs of the tool into the sight post holes.
- Turn the tool clockwise to raise the front sight or counterclockwise to lower it.
- Make adjustments gradually, checking the sight alignment frequently.

### 3. Final Checks

- After making adjustments, ensure that the sight is secure and properly aligned.
- Test the firearm in a safe environment to confirm the adjustments.

## Disposal Instructions

- Dispose of the tool in accordance with local regulations.
- If the tool is damaged beyond repair, consider recycling the materials where possible.

## **Contact Information for Further Support**

For any safety inquiries or additional support regarding the AR15 A2 Sight Adjustment Tool, please consult the manufacturer's website or customer service resources.

Remember to always prioritize safety and follow the guidelines provided in this manual. Thank you for your commitment to responsible firearm handling and maintenance.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)