

TIKKA T3X GEN 4 X-RAY CHASSIS - KINETIC RESEARCH GROUP

TIKKA T3X X-RAY CHASSIS, BLACK

[Rifle Parts](#) > [Stock Parts](#) > [Rifle Stocks](#)

X-Ray Chassis (Generation 4) Unprecedented value...This is what the X-Ray chassis provides to you. When you pick up the X-Ray, it will feel nice and light compared to other chassis. You'll have nearly identical ergonomics to the Whiskey-3 with only a little more time involved in adjusting the different aspects like the length of pull. Furthermore, you'll have all the standard benefits of a chassis like the use of AICS magazines, a variety of mounting points for slings, barrier stops, etc., and aluminum block bedding for the action while not having to sell off a kidney to pay the price of admission. To accomplish Kinetic Research Group's design intent, they kept the features that everyone wants and needs and eliminated those that weren't necessary. Then they utilized efficient manufacturing processes to keep production costs down and in turn keep the price to the shooter down. The end result is a hybrid aluminum and polymer chassis that we think you'll love. KRG is proud to present the X-Ray chassis, the result of years of careful design, thought, refinement, and hard work. The change is a new one piece backend, which comes standard with tool-less buttpad height and cant adjustment, as well as a ambidextrous cheekpiece thumbscrew. The Tikka inlet accepts T3, T3x, and CTR versions, however slight mods may be required on the trigger-guard for the T3 TAC A1 to function properly. Tikka rifles accept AICS pattern mags with the exception of the Magpul AICS polymer mags.



Attributes

- Name: [KINETIC RESEARCH GROUP TIKKA T3X X-RAY CHASSIS, BLACK](#)
- Manufacturer: [KINETIC RESEARCH GROUP](#)
- Product no.: 100054256
- Mfr. No.: XRY-T3S-BLK
- Colour: Black
- Model: T3,T3x
- Style: Chassis
- Weapon type: Tikka
- Weight: 3 lbs
- Delivery weight: 1.987kg
- Shipping height: 76mm
- Shipping width: 165mm
- Shipping length: 775mm

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- Startpage
- Safety Instruction Guide for TIKKA T3X GEN 4 XRAY CHASSIS
- About Us

Safety Instruction Guide for TIKKA T3X GEN 4 XRAY CHASSIS

Introduction

Thank you for choosing the TIKKA T3X GEN 4 XRAY CHASSIS by Kinetic Research Group. This guide provides essential safety instructions to ensure the safe and effective use of your new chassis. Please read this document carefully before installation and use.

General Safety Guidelines

- Ensure that the chassis is used only with compatible Tikka rifles (T3, T3x, and CTR versions).
- Always follow local laws and regulations regarding firearm ownership and use.
- Keep the chassis and all related components out of reach of children and unauthorized users.
- Regularly inspect the chassis for any signs of wear or damage before each use.
- Use the chassis only for its intended purpose as described in this manual.
- If you encounter any issues or have safety concerns, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- **Weight Consideration:** The chassis weighs approximately 3 lbs. Be mindful of the total weight of your setup, especially during prolonged use.
- **Installation Caution:** Ensure that all components are securely attached before use. Loose components can lead to malfunction.
- **Trigger Guard Modification:** If using a T3 TAC A1, slight modifications may be necessary on the trigger guard for proper function. Consult a qualified gunsmith if unsure.
- **AICS Magazine Compatibility:** The chassis accepts AICS pattern magazines, excluding Magpul AICS polymer magazines. Ensure you are using compatible magazines to avoid malfunctions.
- **Ambidextrous Features:** The chassis includes an ambidextrous cheekpiece thumbscrew. Ensure it is adjusted properly to suit your shooting style and comfort.
- **Adjustments:** The chassis features toolless buttpad height and cant adjustments. Make sure these adjustments are secure before use.

Instructions for Installation and Usage

1. **Unboxing:** Carefully remove the chassis from its packaging. Inspect all components for damage.
2. **Installation:**
 - Align the chassis with your Tikka rifle's action.
 - Secure the chassis using the provided hardware. Ensure all screws are tightened to the manufacturer's specifications.
 - If necessary, modify the trigger guard for T3 TAC A1 compatibility.
3. **Adjustments:**
 - Adjust the buttpad height and cant using the toolless system. Ensure adjustments are secure.
 - Adjust the cheekpiece to fit your shooting position comfortably.
4. **Loading and Unloading:**
 - Follow standard safety procedures when loading and unloading your rifle.
 - Always point the muzzle in a safe direction.
5. **Shooting:**
 - Ensure the chassis is stable and secure before firing.
 - Be aware of your surroundings and ensure a safe shooting environment.

Disposal Instructions

- Dispose of the chassis and any packaging materials in accordance with local regulations.
- If the chassis is damaged or no longer usable, contact your local waste management authority for proper disposal options.

Contact Information for Further Support

For further assistance or inquiries regarding safety and use, please contact the manufacturer or your point of purchase. Ensure that you have your product information available for reference.

By following these safety instructions, you can ensure a safe and enjoyable experience with your TIKKA T3X GEN 4 XRAY CHASSIS. Always prioritize safety and responsible use.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk