

# **SPIGOT MOUNTS - KINETIC RESEARCH GROUP WHISKEY-3 X-RAY/BRAVO CHASSIS MINIMALIST SPIGOT MOUNT**

[Rifle Parts](#) > [Stock Parts](#) > [Stock Hardware](#) > [Adapter](#)

## **The Multi-Tool of Mounting Options**

The Spigot Mount is the ideal solution for alternate mounting options for your Whiskey-3 Chassis, X-ray, or Bravo chassis. It features a bolt-on installation into the slot at the front of the chassis and provides a multitude of mounting options. In addition, it provides for various sling mounts, QD or otherwise, and also provides a more stable location for a bipod which is closer to the bore by about an inch and further toward the muzzle approximately five inches. Both Minimalist Spigot and full Spigot can be used in conjunction with KRG INVR barrel channel mounted NV rail. It mounts into your Whiskey-3, X-Ray or Bravo with minimal interference into the barrel channel, so larger barrel diameters can be accommodated more easily. Fits: All KRG X-ray, all Bravo, and Whiskey-3 (gen 3/2013 and newer) Can be used in conjunction with KRG Integrated Night Vision Rail (INVR). Weight: 3.5 oz. Materials/Finishes: Machined aluminum billet with mil spec hard anodize. Installation/Tools needed: Hex wrenches (metric). Forend will need to be removed and barrelled action may or may not need to be removed for installation.



## **Attributes**

- Name: [KINETIC RESEARCH GROUP WHISKEY-3 X-RAY/BRAVO CHASSIS MINIMALIST SPIGOT MOUNT](#)
- Manufacturer: [KINETIC RESEARCH GROUP](#)
- Product no.: 100054274
- Mfr. No.: SPG-MIN
- Finish: Black
- Material: Aluminum
- Delivery weight: 0.129kg
- Shipping height: 13mm
- Shipping width: 102mm
- Shipping length: 229mm

## **Item details**

Made in USA

US export classification: 0A501.y.1

# Table of Contents

- Startpage
- SPIGOT MOUNTS KINETIC RESEARCH GROUP WHISKEY3 XRAY/BRAVO CHASSIS MINIMALIST SPIGOT MOUNT Safety Instruction Guide
- About Us

# SPIGOT MOUNTS KINETIC RESEARCH GROUP

# WHISKEY3 XRAY/BRAVO CHASSIS MINIMALIST

# SPIGOT MOUNT Safety Instruction Guide

## Introduction

Thank you for choosing the Spigot Mount for your Whiskey3, Xray, or Bravo chassis. This guide provides essential safety information and instructions to ensure the safe and effective use of this product. Please read this document thoroughly before installation and usage.

## General Safety Guidelines

- Ensure that you read all instructions before using the Spigot Mount.
- Always use the product in accordance with the manufacturer's guidelines to prevent accidents or injuries.
- Inspect the Spigot Mount for any damage or defects before installation. Do not use a damaged product.
- Keep the product out of reach of children and vulnerable individuals.
- If you experience any issues, do not attempt to repair the product yourself; contact a qualified professional.

## Specific Safety Precautions for Use

- The Spigot Mount is designed for use with KRG Whiskey3, Xray, and Bravo chassis only. Using it with incompatible products may result in malfunction or injury.
- Ensure that all mounting points are secure before using the chassis with the Spigot Mount attached.
- Be cautious when handling tools during installation; sharp tools can cause injury.
- When using the bipod, ensure it is securely mounted and that the mounting area is stable to prevent tipping or falling.
- Avoid placing excessive weight on the Spigot Mount, as it is designed to support specific equipment.

## Instructions for Installation and Usage

### 1. Preparation

- Gather the necessary tools: metric hex wrenches.
- Ensure the area is clean and free of debris to avoid interference during installation.

### 2. Installation Steps

- Remove the forend of the chassis as necessary for access.
- If required, remove the barrelled action to facilitate installation.
- Align the Spigot Mount with the designated slot at the front of the chassis.
- Secure the Spigot Mount using the provided bolts and hex wrenches. Ensure that it is tightly fastened to prevent movement during use.
- Reattach the forend and barrelled action if they were removed.

### 3. Usage Guidelines

- After installation, check the stability of the Spigot Mount and ensure all components are secure.
- Attach your desired accessories, such as sling mounts or bipods, ensuring they are compatible and securely fastened.

## Disposal Instructions

- Dispose of the Spigot Mount and any packaging materials in accordance with local regulations.
- Consider recycling materials where possible. Check with local recycling centers for guidelines on aluminum and other materials.

## Contact Information for Further Support

For any inquiries or concerns regarding the Spigot Mount, please refer to the manufacturer's contact details provided with the product packaging. It is essential to reach out for assistance to ensure safety and compliance with usage guidelines.

Thank you for your attention to these safety instructions. Enjoy the enhanced capabilities of your Spigot Mount while prioritizing safety and compliance.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)