

# M5 BOLT CATCH FOR AR 308 - AERO PRECISION M5 BOLT CATCH FOR AR .308 BLACK

[Home](#)

Replacement steel bolt catch for AR .308 lower receivers.



## Attributes

- Name: [AERO PRECISION M5 BOLT CATCH FOR AR .308 BLACK](#)
- Manufacturer: [AERO PRECISION](#)
- Product no.: 100054410
- Mfr. No.: APRH100134C
- Weapon type: AR .308
- Delivery weight: 0.02kg
- Shipping height: 8mm
- Shipping width: 76mm
- Shipping length: 114mm
- UPC: 815421021226

## Item details

Made in USA

US export classification: 0A501.x

# Table of Contents

- Startpage
- M5 BOLT CATCH FOR AR 308 Safety Instructions Guide
- About Us

# M5 BOLT CATCH FOR AR 308 Safety Instructions Guide

## Introduction

Thank you for purchasing the M5 Bolt Catch for AR .308 by AERO PRECISION. This guide provides important safety information, installation instructions, and proper usage practices to ensure your safety and the optimal performance of your product. Please read this guide carefully before using the product.

## General Safety Guidelines

- Ensure that the product is compatible with your AR .308 lower receiver before installation.
- Always handle firearms and firearm components with care to avoid accidental discharge.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the bolt catch for wear or damage. Replace if necessary.
- Always follow local laws and regulations regarding firearm modifications and usage.
- Report any unsafe products or incidents to the relevant authorities.

## Specific Safety Precautions for Use

- Only use the M5 Bolt Catch with compatible AR .308 lower receivers.
- Do not attempt to modify the bolt catch; alterations may compromise safety.
- Ensure the firearm is unloaded before installation or maintenance.
- Wear appropriate safety gear, such as eye protection, when working with firearms.
- Be aware of your surroundings and ensure a safe environment when using the firearm.

## Instructions for Installation and Usage

### 1. Preparation

- Ensure the firearm is unloaded and safe to work on.
- Gather necessary tools: a punch tool, hammer, and any additional tools required for your specific lower receiver.

### 2. Installation Steps

- Remove the existing bolt catch from your AR .308 lower receiver.
- Align the M5 Bolt Catch with the bolt catch hole in the lower receiver.
- Insert the bolt catch pin through the hole and gently tap it into place using a punch tool and hammer.
- Verify that the bolt catch operates smoothly and engages properly.

### 3. PostInstallation Check

- Conduct a function check of the bolt catch by cycling the action of the firearm.
- Ensure that the bolt catch holds the bolt open when the magazine is empty.
- Confirm that the bolt catch releases the bolt when pressed.

## Disposal Instructions

- Dispose of any damaged or worn components in accordance with local regulations.
- Do not throw away in regular household waste. Contact local waste management for proper disposal methods.

## **Contact Information for Further Support**

For any questions or concerns regarding the M5 Bolt Catch for AR .308, please refer to the manufacturer's website or contact their customer support team for assistance.

Remember to always prioritize safety when handling and using your firearm. Thank you for choosing AERO PRECISION.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)