

TUNGSTEN COATED NECK SIZING BUSHING - RCBS 0.185"

TUNGSTEN NECK SIZING BUSHING

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

No-Lube-Required Bushings for Use With GMM Sizing Dies

RCBS Coated Neck Bushings are interchangeable to let the reloader select a bushing that gives precisely the right amount of tension on the bullet when using RCBS Gold Medal Match neck sizing dies. These bushings have a Tungsten Disulfide (WS2) anti-friction coating, so they do not require use of traditional case lube. Self-centering for proper alignment with case neck. For best results, use of high-end brass with consistent neck thicknesses. For use ONLY with RCBS Gold Medal neck sizing dies RCBS recommends having neck bushings one to two sizes above and below your target diameter (see note below). RCBS Coated Neck Bushings are a small but critical component in loading extremely consistent-shooting ammo with your Gold Medal Match sizing dies. Brownells Gun Tech™ Tip: There are two ways to select the steel neck bushings you need: (1) Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003". This allows approximately .001" of brass to spring back for correct neck tension. (2) You can also measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet and subtract .002" to .003".



Attributes

- Name: [RCBS 0.185" TUNGSTEN NECK SIZING BUSHING](#)
- Manufacturer: [RCBS](#)
- Product no.: 100060346
- Mfr. No.: 81700
- Diameter (in): .185
- Delivery weight: 0.045kg
- Shipping width: 51mm
- Shipping length: 163mm
- UPC: 076683817006

Item details

Made in USA

Table of Contents

- Startpage
- TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.185" Safety Instruction Guide
- About Us

TUNGSTEN COATED NECK SIZING BUSHING RCBS

0.185" Safety Instruction Guide

Introduction

Thank you for choosing the TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.185". This guide provides important safety information to ensure the proper and safe use of this product. Please read and understand these instructions before using the neck sizing bushing.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as described in the product specifications.
- Always wear appropriate safety gear, such as safety glasses and gloves, when handling and using reloading equipment.
- Keep the product out of reach of children and vulnerable individuals to prevent accidental injury.
- Regularly inspect the neck sizing bushing for wear or damage before each use. Do not use if any damage is found.
- Follow all local laws and regulations related to the reloading and handling of ammunition components.

Specific Safety Precautions for Use

- Use the neck sizing bushing only with RCBS Gold Medal Match neck sizing dies to ensure compatibility and safety.
- Ensure that the reloading setup is stable and secure to prevent accidents during operation.
- Avoid overtightening the bushing during installation, as this can lead to damage or malfunction.
- When measuring the neck diameter or wall thickness, use calibrated measuring tools to ensure accuracy.
- Be aware of the potential for brass to spring back after sizing. Always account for this when selecting the proper neck bushing size.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials, including the neck sizing bushing, RCBS Gold Medal Match neck sizing die, and measuring tools.
- Ensure your workspace is clean and organized to prevent accidents.

2. Installation:

- Unscrew the RCBS Gold Medal Match neck sizing die from the press.
- Insert the TUNGSTEN COATED NECK SIZING BUSHING into the die, ensuring it is seated properly.
- Secure the die back onto the press, making sure the bushing is aligned correctly.

3. Usage:

- Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003" to determine the appropriate bushing size.
- Alternatively, measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet, and subtract .002" to .003".
- Insert the case into the die and operate the press according to the manufacturer's instructions.
- After sizing, inspect the case to ensure proper neck tension and fit.

4. PostUse:

- Clean the neck sizing bushing after use to prevent buildup of residue.
- Store the bushing in a safe, dry place away from direct sunlight and moisture.

Disposal Instructions

- Dispose of any damaged or worn neck bushings according to your local regulations for hazardous materials.
- Do not simply throw the product away; consider recycling options if available in your area.

Contact Information for Further Support

For any safety inquiries or concerns, please refer to the appropriate local authorities or safety organizations. Ensure you have the product details available for reference.

By following these guidelines, you can ensure the safe and effective use of the TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.185". Thank you for your attention to safety and best practices in reloading.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk