

TUNGSTEN COATED NECK SIZING BUSHING - RCBS 0.188"

TUNGSTEN NECK SIZING BUSHING

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

No-Lube-Required Bushings for Use With GMM Sizing Dies

RCBS Coated Neck Bushings are interchangeable to let the reloader select a bushing that gives precisely the right amount of tension on the bullet when using RCBS Gold Medal Match neck sizing dies. These bushings have a Tungsten Disulfide (WS2) anti-friction coating, so they do not require use of traditional case lube. Self-centering for proper alignment with case neck. For best results, use of high-end brass with consistent neck thicknesses. For use ONLY with RCBS Gold Medal neck sizing dies RCBS recommends having neck bushings one to two sizes above and below your target diameter (see note below). RCBS Coated Neck Bushings are a small but critical component in loading extremely consistent-shooting ammo with your Gold Medal Match sizing dies. Brownells Gun Tech™ Tip: There are two ways to select the steel neck bushings you need: (1) Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003". This allows approximately .001" of brass to spring back for correct neck tension. (2) You can also measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet and subtract .002" to .003".



Attributes

- Name: [RCBS 0.188" TUNGSTEN NECK SIZING BUSHING](#)
- Manufacturer: [RCBS](#)
- Product no.: 100060349
- Mfr. No.: 81703
- Diameter (in): .188
- Delivery weight: 0.045kg
- Shipping height: 25mm
- Shipping width: 51mm
- Shipping length: 152mm
- UPC: 076683817037

Item details

Made in USA

Table of Contents

- Startpage
- TUNGSTEN COATED NECK SIZING BUSHING Safety Instruction Guide
- About Us

TUNGSTEN COATED NECK SIZING BUSHING Safety Instruction Guide

Introduction

Thank you for choosing the TUNGSTEN COATED NECK SIZING BUSHING from RCBS. This product is designed to enhance your reloading experience by providing precise neck sizing for your ammunition. To ensure safe and effective use, please read this safety instruction guide carefully.

General Safety Guidelines

- Always handle the neck sizing bushing with care to avoid injury.
- Ensure that you are using the bushing with compatible RCBS Gold Medal Match neck sizing dies only.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the bushing for any signs of wear or damage before use.
- If you notice any irregularities, discontinue use and contact customer support for assistance.

Specific Safety Precautions for Use

- Avoid using the bushing with cases that have inconsistent neck thicknesses as this may lead to improper neck tension.
- Do not use traditional case lube with this bushing, as it is designed with a Tungsten Disulfide (WS2) antifriction coating.
- Ensure that the bushing is properly aligned with the case neck before sizing to prevent damage.
- Always wear appropriate safety gear, such as safety glasses, when handling tools and components.

Instructions for Installation and Usage

1. Selecting the Right Bushing:

- Measure the outside neck diameter of your loaded cartridge.
- Subtract .002" to .003" from this measurement to determine the correct bushing size.
- Alternatively, measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet, and subtract .002" to .003".

2. Installation:

- Ensure that your RCBS Gold Medal Match neck sizing die is clean and free from debris.
- Insert the tungsten coated neck sizing bushing into the die according to the manufacturer's instructions.
- Secure the bushing in place ensuring it is properly seated.

3. Using the Neck Sizing Bushing:

- Place the case into the die and apply steady pressure to size the neck.
- Check the neck tension to ensure it meets your specifications.
- Repeat the process as needed, ensuring proper alignment and technique.

4. PostUse Care:

- Clean the bushing after each use to maintain its performance and longevity.
- Store the bushing in a safe, dry place away from direct sunlight and moisture.

Disposal Instructions

- Dispose of any worn or damaged bushings in accordance with local regulations.
- Do not dispose of the bushing in regular household waste. Check for recycling options specific to metal components.

Contact Information for Further Support

For any inquiries or concerns regarding the TUNGSTEN COATED NECK SIZING BUSHING, please refer to the manufacturer's contact details provided with your product.

By following these safety instructions, you can ensure a safe and efficient reloading experience with your TUNGSTEN COATED NECK SIZING BUSHING. Always prioritize safety and consult the guidelines regularly for best practices.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk