

TUNGSTEN COATED NECK SIZING BUSHING - RCBS 0.192"

TUNGSTEN NECK SIZING BUSHING

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

No-Lube-Required Bushings for Use With GMM Sizing Dies

RCBS Coated Neck Bushings are interchangeable to let the reloader select a bushing that gives precisely the right amount of tension on the bullet when using RCBS Gold Medal Match neck sizing dies. These bushings have a Tungsten Disulfide (WS2) anti-friction coating, so they do not require use of traditional case lube. Self-centering for proper alignment with case neck. For best results, use of high-end brass with consistent neck thicknesses. For use ONLY with RCBS Gold Medal neck sizing dies RCBS recommends having neck bushings one to two sizes above and below your target diameter (see note below). RCBS Coated Neck Bushings are a small but critical component in loading extremely consistent-shooting ammo with your Gold Medal Match sizing dies. Brownells Gun Tech™ Tip: There are two ways to select the steel neck bushings you need: (1) Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003". This allows approximately .001" of brass to spring back for correct neck tension. (2) You can also measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet and subtract .002" to .003".



Attributes

- Name: [RCBS 0.192" TUNGSTEN NECK SIZING BUSHING](#)
- Manufacturer: [RCBS](#)
- Product no.: 100060353
- Mfr. No.: 81707
- Diameter (in): .192
- Delivery weight: 0.045kg
- Shipping width: 51mm
- Shipping length: 165mm
- UPC: 076683817075

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.192"
- About Us

Safety Instruction Guide for TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.192"

Introduction

Thank you for choosing the TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.192". This guide provides essential safety information and instructions to ensure safe and effective use of the product. Please read this guide carefully before using the bushing.

General Safety Guidelines

- **Product Safety:** This product is designed for safe use in reloading ammunition. Ensure that you follow all safety guidelines to prevent accidents.
- **Enhanced Recalls:** In the event of a recall, you will be notified through standardized notices. Always check for updates regarding product safety.
- **Online Shopping Protections:** If purchased online, you have the same safety protections as if you bought it in a physical store.
- **Special Consumer Focus:** Extra care should be taken when using this product around vulnerable groups, such as children.
- **EU Contact Point:** For safety inquiries, please ensure you have access to an EUbased contact.
- **Rapid Alerts:** Stay informed about any unsafe products through the Safety Gate system.

Specific Safety Precautions for Use

- **Read Instructions:** Always read the instructions provided with the bushing before use.
- **Check Compatibility:** Ensure that the neck sizing bushing is compatible with your RCBS Gold Medal Match neck sizing dies.
- **Avoid OverTension:** When selecting a bushing, do not exceed the recommended tension on the bullet.
- **Use Proper Alignment:** Ensure that the bushing is selfcentered for proper alignment with the case neck to avoid misalignment.
- **Use Quality Brass:** For best results, use highend brass with consistent neck thicknesses.
- **Avoid Lubricants:** The tungsten disulfide coating eliminates the need for traditional case lube. Do not apply additional lubricants.
- **Measure Correctly:** When selecting your bushing, measure the outside neck diameter of your loaded cartridge or the neck wall thickness accurately.

Instructions for Installation and Usage

1. Selecting the Right Bushing:

- Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003".
- Alternatively, measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet, and subtract .002" to .003".

2. Installation:

- Ensure your reloading press is set up correctly and is stable.
- Insert the selected neck sizing bushing into the die.
- Tighten the bushing securely in place without overtightening.

3. Using the Bushing:

- Align the case neck with the bushing.

- Apply steady pressure to resize the neck.
- Inspect the resized neck to ensure proper tension and alignment.

4. PostUsage Care:

- Clean the bushing after use to maintain its effectiveness.
- Store the bushing in a safe, dry place away from children.

Disposal Instructions

- Dispose of any packaging materials in accordance with local waste disposal regulations.
- If the bushing becomes damaged or unusable, dispose of it as per local electronic waste guidelines.

Contact Information for Further Support

For any questions or concerns regarding the TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.192", please refer to the contact information provided by your retailer or manufacturer. Always ensure you have access to support for any safety inquiries or product issues.

Thank you for your attention to safety. Enjoy reloading with confidence!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk