

TUNGSTEN COATED NECK SIZING BUSHING - RCBS 0.196"

TUNGSTEN NECK SIZING BUSHING

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

No-Lube-Required Bushings for Use With GMM Sizing Dies

RCBS Coated Neck Bushings are interchangeable to let the reloader select a bushing that gives precisely the right amount of tension on the bullet when using RCBS Gold Medal Match neck sizing dies. These bushings have a Tungsten Disulfide (WS2) anti-friction coating, so they do not require use of traditional case lube. Self-centering for proper alignment with case neck. For best results, use of high-end brass with consistent neck thicknesses. For use ONLY with RCBS Gold Medal neck sizing dies RCBS recommends having neck bushings one to two sizes above and below your target diameter (see note below). RCBS Coated Neck Bushings are a small but critical component in loading extremely consistent-shooting ammo with your Gold Medal Match sizing dies. Brownells Gun Tech™ Tip: There are two ways to select the steel neck bushings you need: (1) Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003". This allows approximately .001" of brass to spring back for correct neck tension. (2) You can also measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet and subtract .002" to .003".



Attributes

- Name: [RCBS 0.196" TUNGSTEN NECK SIZING BUSHING](#)
- Manufacturer: [RCBS](#)
- Product no.: 100060357
- Mfr. No.: 81711
- Diameter (in): .196
- Delivery weight: 0.045kg
- Shipping height: 25mm
- Shipping width: 51mm
- Shipping length: 152mm
- UPC: 076683817112

Item details

Made in USA

Table of Contents

- Startpage
- TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.196" USER SAFETY INSTRUCTIONS
- About Us

TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.196" USER SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the TUNGSTEN COATED NECK SIZING BUSHING by RCBS. This product is designed to enhance your reloading experience by providing precise neck tension for your ammunition. To ensure safe and effective use, please read and follow these safety instructions carefully.

General Safety Guidelines

- Ensure that you are familiar with the operation and maintenance of your reloading equipment before using this product.
- Always wear appropriate safety gear, including safety glasses and gloves, when handling reloading components.
- Keep the workspace clean and organized to prevent accidents and ensure efficient operation.
- Store the neck sizing bushing in a safe place, out of reach of children and pets.
- Regularly inspect the bushing for wear or damage before use. Do not use a damaged bushing.

Specific Safety Precautions for Use

- Only use the TUNGSTEN COATED NECK SIZING BUSHING with RCBS Gold Medal neck sizing dies.
- Select a bushing that is one to two sizes above and below your target diameter for optimal performance.
- Do not apply traditional case lube; the tungsten disulfide coating eliminates the need for it.
- Ensure proper alignment of the bushing with the case neck to avoid misfires or damage to the bushing.
- Avoid overtightening the bushing during installation to prevent damage.

Instructions for Installation and Usage

1. Selecting the Correct Bushing:

- Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003" for the correct bushing size.
- Alternatively, measure the neck wall thickness of your case, multiply by two, add the bullet diameter, and subtract .002" to .003".

2. Installation:

- Ensure that your reloading press is clean and free of debris.
- Insert the neck sizing bushing into the appropriate die.
- Secure the bushing without overtightening to maintain its integrity.

3. Usage:

- Place the case into the reloading press and align it with the neck sizing bushing.
- Slowly operate the press to size the neck of the case.
- Remove the case and inspect for proper neck tension.

4. PostUsage:

- Clean the bushing after use to maintain its performance and longevity.
- Store the bushing in a protective case or pouch to prevent damage.

Disposal Instructions

- Dispose of any damaged or worn bushings according to local regulations.
- Do not dispose of the bushing in regular household waste. Contact your local waste management authority for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the TUNGSTEN COATED NECK SIZING BUSHING, please refer to the product packaging for further contact information. You can also check for recall updates on the EU's Safety Gate platform to stay informed about product safety.

By following these guidelines, you can ensure a safe and effective reloading experience with your TUNGSTEN COATED NECK SIZING BUSHING. Thank you for your commitment to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk