

TUNGSTEN COATED NECK SIZING BUSHING - RCBS 0.201"

TUNGSTEN NECK SIZING BUSHING

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

No-Lube-Required Bushings for Use With GMM Sizing Dies

RCBS Coated Neck Bushings are interchangeable to let the reloader select a bushing that gives precisely the right amount of tension on the bullet when using RCBS Gold Medal Match neck sizing dies. These bushings have a Tungsten Disulfide (WS2) anti-friction coating, so they do not require use of traditional case lube. Self-centering for proper alignment with case neck. For best results, use of high-end brass with consistent neck thicknesses. For use ONLY with RCBS Gold Medal neck sizing dies RCBS recommends having neck bushings one to two sizes above and below your target diameter (see note below). RCBS Coated Neck Bushings are a small but critical component in loading extremely consistent-shooting ammo with your Gold Medal Match sizing dies. Brownells Gun Tech™ Tip: There are two ways to select the steel neck bushings you need: (1) Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003". This allows approximately .001" of brass to spring back for correct neck tension. (2) You can also measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet and subtract .002" to .003".



Attributes

- Name: [RCBS 0.201" TUNGSTEN NECK SIZING BUSHING](#)
- Manufacturer: [RCBS](#)
- Product no.: 100060362
- Mfr. No.: 81716
- Diameter (in): .201
- Delivery weight: 0.045kg
- Shipping width: 51mm
- Shipping length: 165mm
- UPC: 076683817167

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.201"
- About Us

Safety Instruction Guide for TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.201"

Introduction

Thank you for choosing the TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.201". This product is designed to enhance your reloading experience by providing precise neck sizing and consistent bullet tension. To ensure safe and effective use of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Always handle the neck sizing bushing with care to avoid injury.
- Keep the bushing out of reach of children and vulnerable individuals.
- Use this product only for its intended purpose as specified by the manufacturer.
- Regularly inspect the bushing for wear or damage before each use.
- Store the bushing in a safe, dry place when not in use.

Specific Safety Precautions for Use

- Ensure that the bushing is compatible with RCBS Gold Medal Match neck sizing dies before use.
- Do not exceed the recommended neck size adjustments. RCBS recommends having neck bushings one to two sizes above and below your target diameter.
- Always wear appropriate safety gear, such as eye protection, when reloading.
- Avoid using excessive force during the sizing process to prevent damage to the bushing or injury.
- If you experience any difficulty or resistance while using the bushing, stop and inspect for possible issues.

Instructions for Installation and Usage

1. Selecting the Right Bushing:

- Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003" for proper tension.
- Alternatively, measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet, and subtract .002" to .003".

2. Installation:

- Ensure the reloading press is turned off and unplugged.
- Remove any existing bushing from the neck sizing die.
- Insert the TUNGSTEN COATED NECK SIZING BUSHING into the neck sizing die until it is securely in place.

3. Usage:

- Insert the case into the neck sizing die with the installed bushing.
- Operate the reloading press according to the manufacturer's instructions to size the case neck.
- Inspect the sized case for proper neck tension and alignment.

4. PostUse Care:

- Clean the bushing after use to remove any debris or residue.
- Store the bushing in a protective case or designated storage area.

Disposal Instructions

- Dispose of any damaged or worn bushings in accordance with local regulations.
- Do not dispose of the bushing in regular household waste. Check with local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or concerns regarding the TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.201", please reach out to the designated EU contact point provided by the manufacturer.

Conclusion

By following these safety instructions, you can ensure a safe and effective reloading experience with your TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.201". Always prioritize safety and consult the manufacturer's guidelines for any additional information. Thank you for your commitment to safe reloading practices.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk