

TUNGSTEN COATED NECK SIZING BUSHING - RCBS 0.203"

TUNGSTEN NECK SIZING BUSHING

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

No-Lube-Required Bushings for Use With GMM Sizing Dies

RCBS Coated Neck Bushings are interchangeable to let the reloader select a bushing that gives precisely the right amount of tension on the bullet when using RCBS Gold Medal Match neck sizing dies. These bushings have a Tungsten Disulfide (WS2) anti-friction coating, so they do not require use of traditional case lube. Self-centering for proper alignment with case neck. For best results, use of high-end brass with consistent neck thicknesses. For use ONLY with RCBS Gold Medal neck sizing dies RCBS recommends having neck bushings one to two sizes above and below your target diameter (see note below). RCBS Coated Neck Bushings are a small but critical component in loading extremely consistent-shooting ammo with your Gold Medal Match sizing dies. Brownells Gun Tech™ Tip: There are two ways to select the steel neck bushings you need: (1) Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003". This allows approximately .001" of brass to spring back for correct neck tension. (2) You can also measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet and subtract .002" to .003".



Attributes

- Name: [RCBS 0.203" TUNGSTEN NECK SIZING BUSHING](#)
- Manufacturer: [RCBS](#)
- Product no.: 100060364
- Mfr. No.: 81718
- Diameter (in): .203
- Delivery weight: 0.045kg
- Shipping width: 51mm
- Shipping length: 165mm
- UPC: 076683817181

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.203"
- About Us

Safety Instruction Guide for TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.203"

Introduction

Thank you for choosing the TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.203". This product is designed to enhance your reloading experience by providing precision and consistency. To ensure safe and effective use, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Always use the product in accordance with the manufacturer's instructions.
- Inspect the product for any damage before use. Do not use if damaged.
- Keep the product out of reach of children and vulnerable individuals.
- Store the product in a cool, dry place away from direct sunlight.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that you are using the neck sizing bushing only with RCBS Gold Medal neck sizing dies.
- Use highquality brass with consistent neck thicknesses for optimal performance.
- Avoid applying excessive force when resizing cases to prevent damage to the bushing or the cases.
- Do not use traditional case lube; the tungsten disulfide coating eliminates the need for it.
- Always wear safety glasses when reloading to protect your eyes from potential hazards.

Instructions for Installation and Usage

1. Selecting the Right Bushing:

- Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003" for proper neck tension.
- Alternatively, measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet, and subtract .002" to .003".

2. Installation:

- Ensure that the neck sizing bushing is clean and free from debris.
- Insert the bushing into the neck sizing die, ensuring it is properly seated.
- Secure the die in your reloading press according to the manufacturer's instructions.

3. Usage:

- Place a case into the reloading press.
- Align the case neck with the bushing.
- Apply smooth, even pressure to resize the case. Avoid jerky movements.

4. PostUse Care:

- After use, clean the bushing to remove any residue.
- Store the bushing in its original packaging or a designated storage container to prevent damage.

Disposal Instructions

- Dispose of the product responsibly in accordance with local regulations.
- Do not dispose of the product in household waste.
- Check with local recycling programs for proper disposal methods for metal products.

Contact Information for Further Support

For any inquiries or concerns regarding the TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.203", please refer to the manufacturer's website or customer service for assistance.

Thank you for prioritizing safety while enjoying your reloading activities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk