

# **TUNGSTEN COATED NECK SIZING BUSHING - RCBS 0.205"**

## **TUNGSTEN NECK SIZING BUSHING**

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

### **No-Lube-Required Bushings for Use With GMM Sizing Dies**

RCBS Coated Neck Bushings are interchangeable to let the reloader select a bushing that gives precisely the right amount of tension on the bullet when using RCBS Gold Medal Match neck sizing dies. These bushings have a Tungsten Disulfide (WS2) anti-friction coating, so they do not require use of traditional case lube. Self-centering for proper alignment with case neck. For best results, use of high-end brass with consistent neck thicknesses. For use ONLY with RCBS Gold Medal neck sizing dies RCBS recommends having neck bushings one to two sizes above and below your target diameter (see note below). RCBS Coated Neck Bushings are a small but critical component in loading extremely consistent-shooting ammo with your Gold Medal Match sizing dies. Brownells Gun Tech™ Tip: There are two ways to select the steel neck bushings you need: (1) Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003". This allows approximately .001" of brass to spring back for correct neck tension. (2) You can also measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet and subtract .002" to .003".



### **Attributes**

- Name: [RCBS 0.205" TUNGSTEN NECK SIZING BUSHING](#)
- Manufacturer: [RCBS](#)
- Product no.: 100060366
- Mfr. No.: 81720
- Diameter (in): .205
- Delivery weight: 0.045kg
- Shipping height: 25mm
- Shipping width: 102mm
- Shipping length: 152mm
- UPC: 076683817204

### **Item details**

Made in USA

# Table of Contents

- Startpage
- TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.205" Safety Instruction Guide
- About Us

# TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.205" Safety Instruction Guide

## Introduction

Thank you for choosing the TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.205". This product is designed to enhance your reloading process by providing precise neck tension for your ammunition. To ensure your safety and the best performance of this product, please read and follow the safety instructions outlined in this guide.

## General Safety Guidelines

- Always ensure the product is used in accordance with the manufacturer's instructions.
- Keep this product out of reach of children and vulnerable individuals.
- Regularly inspect the bushing for any signs of wear or damage before use.
- Do not use the bushing if it is damaged or shows signs of excessive wear.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about product recalls through the EU Safety Gate platform.

## Specific Safety Precautions for Use

- Use this neck sizing bushing only with RCBS Gold Medal neck sizing dies.
- Ensure proper alignment with the case neck during use to avoid misfires or damage.
- When selecting a bushing, measure the outside neck diameter of your loaded cartridge and subtract .002" to .003" for the correct neck tension.
- Alternatively, measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet, and subtract .002" to .003".
- Avoid using traditional case lube, as this product features a Tungsten Disulfide (WS2) antifriction coating.
- Always wear appropriate safety gear, including eye protection, when reloading ammunition.

## Instructions for Installation and Usage

### 1. Selecting the Right Bushing:

- Measure the outside neck diameter of your loaded cartridge.
- Subtract .002" to .003" to determine the correct bushing size.
- Alternatively, measure the neck wall thickness, multiply by two, add the bullet diameter, and subtract .002" to .003".

### 2. Installation:

- Ensure the RCBS Gold Medal neck sizing die is securely mounted in your reloading press.
- Insert the tungsten coated neck sizing bushing into the die.
- Tighten the bushing according to the manufacturer's specifications.

### 3. Usage:

- Place the cartridge case into the die and raise the ram to size the neck.
- Ensure proper alignment to avoid any damage to the case or bushing.
- After sizing, inspect the neck for proper tension and fit.

### 4. PostUse Inspection:

- After each use, inspect the bushing for wear and damage.

- Clean the bushing if necessary to maintain optimal performance.

## **Disposal Instructions**

- Dispose of any damaged or worn bushings in accordance with local regulations.
- Do not dispose of this product in regular household waste.
- Check with local waste management authorities for proper disposal methods.

## **Contact Information for Further Support**

For any safety inquiries regarding the TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.205", please refer to the manufacturer's website or customer service for assistance.

By following these safety instructions, you will ensure a safer and more efficient reloading experience. Thank you for your attention to safety and for choosing our product.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)