

TUNGSTEN COATED NECK SIZING BUSHING - RCBS 0.212"

TUNGSTEN NECK SIZING BUSHING

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

No-Lube-Required Bushings for Use With GMM Sizing Dies

RCBS Coated Neck Bushings are interchangeable to let the reloader select a bushing that gives precisely the right amount of tension on the bullet when using RCBS Gold Medal Match neck sizing dies. These bushings have a Tungsten Disulfide (WS2) anti-friction coating, so they do not require use of traditional case lube. Self-centering for proper alignment with case neck. For best results, use of high-end brass with consistent neck thicknesses. For use ONLY with RCBS Gold Medal neck sizing dies RCBS recommends having neck bushings one to two sizes above and below your target diameter (see note below). RCBS Coated Neck Bushings are a small but critical component in loading extremely consistent-shooting ammo with your Gold Medal Match sizing dies. Brownells Gun Tech™ Tip: There are two ways to select the steel neck bushings you need: (1) Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003". This allows approximately .001" of brass to spring back for correct neck tension. (2) You can also measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet and subtract .002" to .003".



Attributes

- Name: [RCBS 0.212" TUNGSTEN NECK SIZING BUSHING](#)
- Manufacturer: [RCBS](#)
- Product no.: 100060372
- Mfr. No.: 81727
- Diameter (in): .212
- Delivery weight: 0.045kg
- Shipping height: 25mm
- Shipping width: 51mm
- Shipping length: 152mm
- UPC: 076683817273

Item details

Made in USA

Table of Contents

- Startpage
- TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.212" Safety Instruction Guide
- About Us

TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.212" Safety Instruction Guide

Introduction

Thank you for choosing the TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.212". This guide provides essential safety instructions to ensure the safe and effective use of this product. Please read this guide carefully before use to understand how to operate the neck sizing bushing safely and efficiently.

General Safety Guidelines

- Ensure that you are familiar with the product and its intended use.
- Always wear appropriate safety gear, including eye protection, while handling and using this product.
- Keep the product out of reach of children and pets to prevent accidental injury.
- Regularly inspect the neck sizing bushing for any signs of wear or damage before use.
- Follow all manufacturer instructions and guidelines for safe operation.

Specific Safety Precautions for Use

- Use the neck sizing bushing only with RCBS Gold Medal neck sizing dies.
- Ensure proper alignment with the case neck to avoid misalignment and potential accidents.
- Do not exceed the recommended tolerances when selecting your bushing size.
- Avoid using the bushing with inconsistent or lowquality brass, as this may affect performance and safety.
- Do not modify the neck sizing bushing in any way, as this may compromise its integrity and safety.

Instructions for Installation and Usage

1. Selecting the Right Bushing Size:

- Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003".
- Alternatively, measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet, and subtract .002" to .003".

2. Installation:

- Ensure that the neck sizing bushing is clean and free from debris.
- Insert the bushing into the RCBS Gold Medal neck sizing die, ensuring it is seated properly.
- Tighten the die according to the manufacturer's instructions to secure the bushing in place.

3. Usage:

- Place the case into the die and apply even pressure to resize the neck.
- Ensure that the case is properly aligned to avoid any damage to the bushing or the case itself.
- After resizing, inspect the case for proper neck tension and alignment.

4. PostUsage Care:

- Clean the neck sizing bushing after each use to maintain its performance and longevity.
- Store the bushing in a safe, dry place away from direct sunlight and moisture.

Disposal Instructions

- Dispose of the neck sizing bushing in accordance with local regulations regarding metal products.

- Do not dispose of the product in regular household waste if it is damaged or defective; instead, follow local hazardous waste guidelines.

Contact Information for Further Support

For any questions or concerns regarding the use of the TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.212", please refer to the manufacturer's website or contact their customer support for assistance.

By following these safety instructions, you can ensure a safe and effective experience with your TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.212". Thank you for prioritizing safety in your reloading activities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk