

# **TUNGSTEN COATED NECK SIZING BUSHING - RCBS 0.258"**

## **TUNGSTEN NECK SIZING BUSHING**

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

### **No-Lube-Required Bushings for Use With GMM Sizing Dies**

RCBS Coated Neck Bushings are interchangeable to let the reloader select a bushing that gives precisely the right amount of tension on the bullet when using RCBS Gold Medal Match neck sizing dies. These bushings have a Tungsten Disulfide (WS2) anti-friction coating, so they do not require use of traditional case lube. Self-centering for proper alignment with case neck. For best results, use of high-end brass with consistent neck thicknesses. For use ONLY with RCBS Gold Medal neck sizing dies RCBS recommends having neck bushings one to two sizes above and below your target diameter (see note below). RCBS Coated Neck Bushings are a small but critical component in loading extremely consistent-shooting ammo with your Gold Medal Match sizing dies. Brownells Gun Tech™ Tip: There are two ways to select the steel neck bushings you need: (1) Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003". This allows approximately .001" of brass to spring back for correct neck tension. (2) You can also measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet and subtract .002" to .003".



### **Attributes**

- Name: [RCBS 0.258" TUNGSTEN NECK SIZING BUSHING](#)
- Manufacturer: [RCBS](#)
- Product no.: 100060406
- Mfr. No.: 81773
- Diameter (in): .258
- Delivery weight: 0.045kg
- Shipping height: 25mm
- Shipping width: 51mm
- Shipping length: 178mm
- UPC: 076683817730

### **Item details**

Made in USA

# Table of Contents

- Startpage
- TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.258" Safety Instruction Guide
- About Us

# TUNGSTEN COATED NECK SIZING BUSHING RCBS

## 0.258" Safety Instruction Guide

### Introduction

Thank you for choosing the TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.258". This product is designed to enhance the reloading process by providing precise neck sizing for consistent ammunition performance. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

### General Safety Guidelines

- **Product Safety:** This product is designed for safe use in reloading ammunition. Always follow the manufacturer's instructions and guidelines.
- **Enhanced Recalls:** Stay informed about any product recalls. If you receive a recall notice, follow the instructions provided.
- **Online Shopping:** Ensure you purchase from reputable online retailers that comply with safety regulations.
- **Special Consumer Focus:** Keep this product out of reach of children and vulnerable individuals. It is intended for use by experienced reloaders only.
- **EU Contact Point:** For safety inquiries, please refer to the manufacturer's contact points provided with your product.
- **Rapid Alerts:** Monitor the EU Safety Gate platform for updates regarding product safety and recalls.

### Specific Safety Precautions for Use

- **Hazard Identification:**
  - The bushing may pose risks if used improperly.
  - Avoid direct contact with the Tungsten Disulfide coating, as it may cause skin irritation in sensitive individuals.
- **Avoiding Hazards:**
  - Do not use the bushing with other brands of neck sizing dies.
  - Ensure proper alignment with the case neck to prevent accidents during reloading.
  - Always wear safety glasses when reloading to protect your eyes from possible debris.
- **Age Specific Warnings:** This product is not suitable for individuals under 18 years of age.

### Instructions for Installation and Usage

- **Installation:**
  1. Select the appropriate neck bushing size based on your loaded cartridge dimensions.
  2. Ensure that your RCBS Gold Medal Match neck sizing die is clean and free from debris.
  3. Insert the tungsten-coated neck sizing bushing into the die according to the manufacturer's instructions.
- **Usage:**
  - Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003" for proper tension.
  - Alternatively, measure the neck wall thickness, multiply by two, add the bullet diameter, and then subtract .002" to .003".
  - Reload ammunition in a well-ventilated area, away from flammable materials.
- **Maintenance:**
  - Clean the neck sizing bushing after each use to maintain its performance.
  - Store the bushing in a dry place to prevent corrosion.

## Disposal Instructions

- Dispose of the product in accordance with local regulations on electronic and metal waste.
- Do not dispose of the product in regular household waste.
- If the product is damaged or no longer usable, contact a local waste disposal authority for guidance.

## Contact Information for Further Support

For additional information or support regarding the TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.258", please refer to the manufacturer's contact information provided with the product packaging or visit their official website.

Thank you for your attention to these safety guidelines. Enjoy your reloading experience with the utmost care and responsibility.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)