

TUNGSTEN COATED NECK SIZING BUSHING - RCBS 0.324"

TUNGSTEN NECK SIZING BUSHING

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

No-Lube-Required Bushings for Use With GMM Sizing Dies

RCBS Coated Neck Bushings are interchangeable to let the reloader select a bushing that gives precisely the right amount of tension on the bullet when using RCBS Gold Medal Match neck sizing dies. These bushings have a Tungsten Disulfide (WS2) anti-friction coating, so they do not require use of traditional case lube. Self-centering for proper alignment with case neck. For best results, use of high-end brass with consistent neck thicknesses. For use ONLY with RCBS Gold Medal neck sizing dies RCBS recommends having neck bushings one to two sizes above and below your target diameter (see note below). RCBS Coated Neck Bushings are a small but critical component in loading extremely consistent-shooting ammo with your Gold Medal Match sizing dies. Brownells Gun Tech™ Tip: There are two ways to select the steel neck bushings you need: (1) Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003". This allows approximately .001" of brass to spring back for correct neck tension. (2) You can also measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet and subtract .002" to .003".



Attributes

- Name: [RCBS 0.324" TUNGSTEN NECK SIZING BUSHING](#)
- Manufacturer: [RCBS](#)
- Product no.: 100060451
- Mfr. No.: 81839
- Diameter (in): .324
- Delivery weight: 0.045kg
- Shipping height: 25mm
- Shipping width: 25mm
- Shipping length: 25mm
- UPC: 076683818393

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.324"
- About Us

Safety Instruction Guide for TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.324"

Introduction

Thank you for choosing the TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.324". This product is designed to enhance your reloading experience by providing precise neck tension for consistent ammunition. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure that the product is used in accordance with the manufacturer's instructions.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for signs of wear or damage before use.
- If you experience any issues during use or have concerns about the product, discontinue use immediately and seek guidance.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Always wear appropriate safety gear, including eye protection, when using reloading equipment.
- Do not exceed the recommended specifications for neck sizing bushings.
- Ensure that you are using the correct neck sizing die compatible with this bushing.
- Avoid using excessive force when resizing cases to prevent damage to the bushing or cases.
- Do not use the bushing with cases that have not been properly cleaned and inspected.
- Be aware of the potential for brass shavings or debris during the resizing process; keep your work area clean.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials, including your RCBS Gold Medal Match neck sizing die, cases, and the TUNGSTEN COATED NECK SIZING BUSHING.
- Ensure your workspace is clean and organized.

2. Selecting the Right Bushing:

- Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003" for optimal neck tension.
- Alternatively, measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet, and subtract .002" to .003".

3. Installation:

- Insert the selected neck sizing bushing into the neck sizing die according to the die's instructions.
- Ensure that the bushing is seated properly and securely.

4. Using the Neck Sizing Die:

- Place a properly prepared case into the die.
- Gently pull the handle of your reloading press to resize the case neck.
- Avoid using excessive force; the bushing is designed to provide the necessary tension without

strain.

5. PostUse Care:

- After use, clean the bushing to remove any brass residue.
- Store the bushing in a safe place where it will not be damaged.

Disposal Instructions

- Dispose of any damaged or worn bushings in accordance with local regulations.
- Do not dispose of the product in regular household waste if it is considered hazardous.
- Check with local waste management authorities for appropriate disposal methods for metal products.

Contact Information for Further Support

For any inquiries regarding safety or product usage, please reach out to your local RCBS representative or authorized dealer. They can provide you with the necessary support and information related to the TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.324".

Thank you for following these safety guidelines. Enjoy your reloading experience!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk