

TUNGSTEN COATED NECK SIZING BUSHING - 0.353" TUNGSTEN NECK SIZING BUSHING

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

No-Lube-Required Bushings for Use With GMM Sizing Dies

RCBS Coated Neck Bushings are interchangeable to let the reloader select a bushing that gives precisely the right amount of tension on the bullet when using RCBS Gold Medal Match neck sizing dies. These bushings have a Tungsten Disulfide (WS2) anti-friction coating, so they do not require use of traditional case lube. Self-centering for proper alignment with case neck. For best results, use of high-end brass with consistent neck thicknesses. For use ONLY with RCBS Gold Medal neck sizing dies RCBS recommends having neck bushings one to two sizes above and below your target diameter (see note below). RCBS Coated Neck Bushings are a small but critical component in loading extremely consistent-shooting ammo with your Gold Medal Match sizing dies. Brownells Gun Tech™ Tip: There are two ways to select the steel neck bushings you need: (1) Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003". This allows approximately .001" of brass to spring back for correct neck tension. (2) You can also measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet and subtract .002" to .003".



Attributes

- Name: [0.353" TUNGSTEN NECK SIZING BUSHING](#)
- Manufacturer: [RCBS](#)
- Product no.: 100060469
- Mfr. No.: 81868
- Diameter (in): .353
- Delivery weight: 0.045kg
- Shipping height: 25mm
- Shipping width: 51mm
- Shipping length: 178mm
- UPC: 076683818683

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for TUNGSTEN COATED NECK SIZING BUSHING 0.353"](#)
- [About Us](#)

Safety Instruction Guide for TUNGSTEN COATED NECK SIZING BUSHING 0.353"

Introduction

Thank you for choosing the TUNGSTEN COATED NECK SIZING BUSHING 0.353". This guide provides essential safety instructions and usage guidelines to ensure that you use this product safely and effectively. Please read and follow these instructions carefully to avoid potential hazards.

General Safety Guidelines

- **Product Safety:** This product is designed for safe use in conjunction with RCBS Gold Medal Match neck sizing dies. Ensure you are familiar with the product and its intended use.
- **Enhanced Recalls:** In the event of any safety issues or recalls, follow the instructions provided by the manufacturer and check for updates regularly.
- **Online Shopping:** When purchasing online, ensure that the seller complies with safety requirements and provides clear product information.
- **Special Consumer Focus:** This product is intended for adult users. Keep out of reach of children.
- **EU Contact Point:** For any safety inquiries, please refer to the manufacturer's contact information provided with the product.
- **Rapid Alerts:** Stay informed about any safety updates or recalls through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always wear appropriate protective gear, such as safety glasses, when using the neck sizing bushing.
- Ensure that the bushing is compatible with your RCBS Gold Medal neck sizing dies before use.
- Do not exceed the recommended diameter range when selecting a neck bushing.
- Avoid using excessive force when resizing cases to prevent damage to the bushing or cases.
- Inspect the bushing regularly for signs of wear or damage. Replace if necessary.
- Use only highquality brass with consistent neck thicknesses for best results.
- Do not use the bushing for any purpose other than its intended use.

Instructions for Installation and Usage

1. Selecting the Correct Bushing:

- Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003" for proper neck tension.
- Alternatively, measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet, and subtract .002" to .003".

2. Installation:

- Ensure that the neck sizing die is clean and free from debris.
- Insert the tungsten coated neck sizing bushing into the die according to the manufacturer's instructions.
- Secure the bushing in place as directed.

3. Usage:

- Place the cartridge case into the die and apply even pressure to resize.
- Avoid excessive force; the bushing should guide the case smoothly.
- After resizing, inspect the case for proper neck tension and fit.

4. Maintenance:

- Clean the bushing after each use to maintain its performance.
- Store the bushing in a dry, cool place when not in use.

Disposal Instructions

- Dispose of any damaged or worn bushings according to local regulations.
- Do not dispose of the product in regular household waste. Check with local waste management for proper disposal methods.

Contact Information for Further Support

- For further support, please refer to the manufacturer's contact information provided with the product.

By following these safety instructions and guidelines, you can ensure a safe and effective experience with your TUNGSTEN COATED NECK SIZING BUSHING 0.353". Thank you for your attention to safety and for choosing our product.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at