

TUNGSTEN COATED NECK SIZING BUSHING - RCBS 0.354"

TUNGSTEN NECK SIZING BUSHING

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

No-Lube-Required Bushings for Use With GMM Sizing Dies

RCBS Coated Neck Bushings are interchangeable to let the reloader select a bushing that gives precisely the right amount of tension on the bullet when using RCBS Gold Medal Match neck sizing dies. These bushings have a Tungsten Disulfide (WS2) anti-friction coating, so they do not require use of traditional case lube. Self-centering for proper alignment with case neck. For best results, use of high-end brass with consistent neck thicknesses. For use ONLY with RCBS Gold Medal neck sizing dies RCBS recommends having neck bushings one to two sizes above and below your target diameter (see note below). RCBS Coated Neck Bushings are a small but critical component in loading extremely consistent-shooting ammo with your Gold Medal Match sizing dies. Brownells Gun Tech™ Tip: There are two ways to select the steel neck bushings you need: (1) Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003". This allows approximately .001" of brass to spring back for correct neck tension. (2) You can also measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet and subtract .002" to .003".



Attributes

- Name: [RCBS 0.354" TUNGSTEN NECK SIZING BUSHING](#)
- Manufacturer: [RCBS](#)
- Product no.: 100060470
- Mfr. No.: 81869
- Diameter (in): .354
- Delivery weight: 0.454kg
- Shipping height: 25mm
- Shipping width: 51mm
- Shipping length: 152mm
- UPC: 076683818690

Item details

Made in USA

Table of Contents

- Startpage
- TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.354" Safety Instruction Guide
- About Us

TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.354" Safety Instruction Guide

Introduction

Thank you for choosing the TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.354". This guide provides important safety instructions and information to ensure safe and effective use of this product. Please read the entire guide carefully before use.

General Safety Guidelines

- **Product Safety:** This product is designed for safe use in reloading ammunition. Ensure that you follow all safety guidelines to prevent accidents.
- **Enhanced Recalls:** Stay informed about any product recalls. You can check for updates through the appropriate safety channels.
- **Online Shopping:** If purchased online, ensure that the vendor complies with safety requirements similar to those of physical stores.
- **Special Consumer Focus:** This product is not intended for use by children. Keep out of reach of minors.
- **EU Contact Point:** For any safety inquiries, please contact the appropriate EU-based safety authority.
- **Rapid Alerts:** Be aware of updates regarding unsafe products through the Safety Gate system.

Specific Safety Precautions for Use

- **Personal Protective Equipment (PPE):** Always wear safety glasses and gloves when using this product to protect against potential hazards.
- **Proper Handling:** Handle the neck sizing bushing with care to avoid injury. Ensure that it is securely attached to the sizing die before use.
- **Check Compatibility:** Use only with RCBS Gold Medal neck sizing dies to ensure proper function and safety.
- **Inspect Before Use:** Always inspect the neck sizing bushing for any signs of damage or wear before using it. Do not use if damaged.
- **Avoid Overtightening:** When installing the bushing, do not overtighten, as this may cause damage to the bushing or the die.

Instructions for Installation and Usage

1. Selecting the Right Bushing:

- Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003" for optimal neck tension.
- Alternatively, measure the neck wall thickness of your case, multiply by two, add the bullet diameter, and subtract .002" to .003".

2. Installation:

- Ensure that the sizing die is clean and free from debris.
- Insert the tungsten coated neck sizing bushing into the sizing die and secure it according to the manufacturer's instructions.
- Ensure that the bushing is properly seated and aligned with the die.

3. Usage:

- Place the cartridge case into the sizing die with the neck aligned with the bushing.

- Apply even pressure to the press handle to size the neck of the cartridge.
- Inspect the sized neck for proper tension and fit.

4. PostUse Care:

- Clean the bushing after use to prevent buildup of residue.
- Store the bushing in a safe, dry place away from children.

Disposal Instructions

- Dispose of any damaged or worn neck sizing bushings in accordance with local regulations.
- Do not dispose of in regular household waste. Check for local recycling programs or hazardous waste disposal options.

Contact Information for Further Support

For any questions or concerns regarding the TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.354", please refer to the manufacturer's support resources or contact your local dealer for assistance. Always ensure you are following the latest safety guidelines and recommendations.

By following these safety instructions, you can ensure a safe and effective reloading experience with the TUNGSTEN COATED NECK SIZING BUSHING RCBS 0.354". Thank you for your attention to safety!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk