

T3/T3X LUG - MOUNTAIN TACTICAL T3/T3X LUG

[Rifle Parts](#) > [Receiver Parts](#) > [Recoil Parts](#) > [Recoil Lugs](#)

Mountain Tactical Company is proud to announce our Gen3 Elite Series Stainless Steel Recoil lugs for your Tikka T3 and Tikka T3x rifle. Mountain Tactical's latest generation of recoil lugs are a significant upgrade from the second generation of lugs. Previously, we used 316 marine grade stainless steel which had a yield strength of 89,000 psi. This was a major improvement from the factory aluminum lug which has a yield strength of 21,000 psi or the T3x mild steel lug which has a yield strength of 36,000 psi (significantly less than the standard psi generated by modern rifle cartridges). Now we have upgraded the stainless steel we use to 17-4PH H900 stainless steel. The yield strength of this remarkable steel is 200,000 psi. That is 33% stronger than Grade 5 Titanium! Mountain Tactical proudly manufactures their Gen3 Elite Series Stainless Steel Recoil Lugs from 17-4PH H900 Stainless Steel for the ultimate in weather resistance and a lifetime of service. Installation is simple. Simply remove the two action screws and separate your action from the stock. Using a pair of pliers, remove the existing metal piece from the stock. Then push the Elite Series Recoil Lug into the same recess. Put your action and stock back together and tighten your action screws. You are done! Note that sometimes it can take a little longer to line up your action and stock because of the tighter tolerances of the recoil lug. The Mountain Tactical Company Elite Series Recoil Lugs for the Tikka T3 are of the finest quality you will find anywhere.



Attributes

- Name: [MOUNTAIN TACTICAL T3/T3X LUG](#)
- Manufacturer: [MOUNTAIN TACTICAL](#)
- Product no.: 100061466
- Mfr. No.: T3T3XESL
- Model: T3x,T3
- Weapon type: Tikka
- Delivery weight: 0.025kg
- Shipping height: 152mm
- Shipping width: 76mm
- Shipping length: 152mm
- UPC: 811291030023

Item details

Made in USA

Table of Contents

- Startpage
- T3/T3X LUG MOUNTAIN TACTICAL T3/T3X LUG Safety Instruction Guide
- About Us

T3/T3X LUG MOUNTAIN TACTICAL T3/T3X LUG Safety Instruction Guide

Introduction

Thank you for choosing the T3/T3X LUG from Mountain Tactical Company. This guide provides essential safety instructions and guidelines for the proper use and installation of the Gen3 Elite Series Stainless Steel Recoil Lugs designed for Tikka T3 and Tikka T3x rifles. Please read this guide carefully to ensure safe and effective use of your product.

General Safety Guidelines

- Always ensure that your firearm is unloaded before performing any installation or maintenance.
- Keep the product out of reach of children and unauthorized users.
- Inspect the recoil lug and your firearm regularly for any signs of wear or damage.
- Use the product only for its intended purpose as specified in this guide.
- Report any unsafe products or incidents to the relevant authorities.
- Stay informed about product recalls and safety updates via the EU Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that you are using the correct model of the recoil lug for your Tikka T3 or T3x rifle.
- Be cautious when handling tools, such as pliers, to avoid injury.
- If you are unfamiliar with firearm maintenance, seek assistance from a qualified professional.
- Avoid using the recoil lug if it shows any signs of damage or if the installation does not fit securely.
- Follow all local laws and regulations regarding firearm modifications.

Instructions for Installation and Usage

1. Preparation:

- Ensure your firearm is unloaded.
- Gather necessary tools, including a pair of pliers and a screwdriver.

2. Remove Action from Stock:

- Locate the two action screws on your rifle.
- Use the screwdriver to remove the screws and gently separate the action from the stock.

3. Remove Existing Metal Piece:

- Using pliers, carefully remove the existing metal piece from the stock. This may require some force, so proceed with caution.

4. Install the Elite Series Recoil Lug:

- Take the Elite Series Recoil Lug and align it with the recess in the stock.
- Push the recoil lug firmly into place until it fits securely.

5. Reassemble Your Rifle:

- Align the action with the stock.
- Replace the action screws and tighten them securely.

6. Final Check:

- Inspect the installation to ensure everything is aligned correctly.
- Ensure that the recoil lug is seated properly and that there is no movement.

Disposal Instructions

- Dispose of any packaging materials responsibly and in accordance with local regulations.
- If the recoil lug is damaged or no longer usable, contact your local waste management for safe disposal options.

Contact Information for Further Support

For any questions or concerns regarding the T3/T3X LUG, please reach out to Mountain Tactical Company through their official contact channels. Ensure you have your product details ready for a more efficient support experience.

Thank you for choosing Mountain Tactical. Your safety is our priority. Enjoy using your Tikka T3 or T3x rifle with confidence!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk