

C2 FOLDING FRONT SIGHTS - ULTRADYNE USA C2 FOLDING FRONT SIGHT - APERTURE

[Rifle Parts](#) > [Sights](#) > [Front Sights](#)

Reliable, Adjustable Front Sights

The Ultradyne C2 Folding Front Sights keep you on the target and ready to pull the trigger by not obstructing the target, and prevents you from altering your shooting technique to account for a sight system that doesn't facilitate proper shooting habits. Ultradyne C2 Folding Front Sights use a tool-less elevation adjustment so you can make adjustments on the go, a total of 28 MOA. Made in the USA Available in either 12MOA aperture or blade style post $\frac{1}{2}$ MOA per click windage adjustable C2 Folding Front Sights from Ultradyne blend stainless steel and aluminum components to ensure strength and durability, while remaining lightweight. Truly, the total package.



Attributes

- Name: [ULTRADYNE USA C2 FOLDING FRONT SIGHT - APERTURE](#)
- Manufacturer: [ULTRADYNE USA](#)
- Product no.: 100061497
- Mfr. No.: UD10002
- Colour: Black
- Material: Aluminum
- Style: Folding
- Delivery weight: 0.068kg
- Shipping height: 38mm
- Shipping width: 102mm
- Shipping length: 241mm
- UPC: 851019008798

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for C2 Folding Front Sights
- About Us

Safety Instruction Guide for C2 Folding Front Sights

Introduction

Thank you for choosing the Ultradyne C2 Folding Front Sights. This guide provides essential safety instructions to ensure the safe and effective use of your product. Please read this document carefully before installation and usage.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle the sights with care to avoid damage or injury.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the sights for wear and tear or any potential damage.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Stay informed about product recalls through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always confirm that the firearm is unloaded before attaching or adjusting the sights.
- Avoid making adjustments while the firearm is loaded or pointed at anything other than a safe target.
- Be aware of your surroundings and ensure a safe shooting environment.
- Use proper eye and ear protection while shooting.
- Do not attempt to modify the sights beyond the manufacturer's specifications.

Instructions for Installation and Usage

Installation

1. Ensure the firearm is unloaded.
2. Identify the mounting location for the C2 Folding Front Sight.
3. Use the provided mounting hardware to securely attach the sight to the firearm.
4. Make sure the sight is aligned properly before tightening the screws.
5. Check the stability of the sight by gently shaking it. It should not move.

Usage

1. Adjust the elevation using the toolless mechanism to suit your shooting needs (up to 28 MOA).
2. For windage adjustments, use the $\frac{1}{2}$ MOA per click feature to finetune your aim.
3. Practice shooting while ensuring that your sight picture is clear and unobstructed.
4. After use, fold the sight down to protect it from damage.

Disposal Instructions

- Dispose of the product in accordance with local regulations for electronic and metal waste.
- Do not dispose of the product in regular household waste.
- If unsure about disposal methods, contact your local waste management authority for guidance.

Contact Information for Further Support

For any questions or concerns regarding your C2 Folding Front Sights, please reach out to the manufacturer or your retailer for assistance. You can also check for updates and safety information on the EU's Safety Gate

platform.

Thank you for prioritizing safety while using the Ultradyne C2 Folding Front Sights. Enjoy your shooting experience!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk