

QD SLING ATTACHMENT M-LOK - MIDWEST INDUSTRIES QD SLING ATTACHMENT M-LOK

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Tactical Sling Mounts](#)

The Midwest Industries QD Sling Attachment M-LOK Fully supports QD socket. Rotation limited swivel socket 6061 aluminum, hardcoat anodized .6 ounce 100% made in USA Lifetime Warranty



Attributes

- Name: [MIDWEST INDUSTRIES QD SLING ATTACHMENT M-LOK](#)
- Manufacturer: [MIDWEST INDUSTRIES](#)
- Product no.: 100061595
- Mfr. No.: MI-QDS-M
- Colour: Black
- Delivery weight: 0.142kg
- Shipping height: 25mm
- Shipping width: 76mm
- Shipping length: 102mm
- UPC: 816537014478

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for QD Sling Attachment MLOK
- About Us

Safety Instruction Guide for QD Sling Attachment MLOK

Introduction

Thank you for choosing the QD Sling Attachment MLOK by Midwest Industries. This product is designed to enhance your tactical experience while ensuring safety during use. This guide provides essential safety information, installation instructions, and disposal guidelines in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure the product is used only for its intended purpose as a sling attachment.
- Always inspect the product before use for any signs of damage or wear.
- Keep the product out of reach of children and vulnerable individuals who may not understand its purpose.
- Be aware of your surroundings when using this product to prevent accidents or injuries.
- Report any unsafe product conditions or incidents to the relevant authorities.

Specific Safety Precautions for Use

- Use only with compatible equipment to prevent failure during operation.
- Do not exceed the maximum load capacity to avoid potential accidents.
- Ensure the QD socket is correctly engaged before use to prevent detachment.
- Avoid using the product in extreme environmental conditions that may affect its performance.
- Regularly check the swivel socket for any signs of wear and replace if necessary.

Instructions for Installation and Usage

Installation

1. Ensure that the mounting surface is clean and free of debris.
2. Align the QD Sling Attachment with the MLOK slots on your equipment.
3. Insert the attachment into the MLOK slot and rotate until it clicks into place.
4. Confirm that the attachment is securely mounted by attempting to pull it out gently.

Usage

1. Attach your sling to the QD socket, ensuring it is securely fastened.
2. When using the sling, maintain awareness of your surroundings to prevent entanglement.
3. After use, detach the sling from the QD socket and store the product in a safe location.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding electronic waste and materials.
- Do not dispose of in regular household waste.
- If the product is damaged beyond repair, consider recycling materials where possible.

Contact Information for Further Support

For any safety inquiries or concerns regarding this product, please refer to the manufacturer's contact details or consult your retailer.

Thank you for your attention to these safety guidelines. Your safety is our priority.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk