

AR-15 ASR MUZZLE BRAKE 5.56 CALIBER - SILENCERCO ASR 5.56 MUZZLE BRAKE

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

This 3-port muzzle brake is compatible with the Specwar, Saker, Omega, Hybrid, and Harvester Big Bore ASR mounting system. They offer one hand on, one hand off attachment/detachment. The 3-port design effectively reduces felt recoil and muzzle climb.



Attributes

- Name: [SILENCERCO ASR 5.56 MUZZLE BRAKE](#)
- Manufacturer: [SILENCERCO](#)
- Product no.: 100400078
- Mfr. No.: AC142
- Caliber: 22 Caliber (.223-.224)
- Finish: Black
- Material: Steel
- Threads: 1/2-28
- Delivery weight: 0.12kg
- Shipping height: 95mm
- Shipping width: 32mm
- Shipping length: 95mm
- UPC: 817272010336

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for AR15 ASR Muzzle Brake 5.56 Caliber
- About Us

Safety Instruction Guide for AR15 ASR Muzzle Brake 5.56 Caliber

Introduction

Thank you for choosing the AR15 ASR Muzzle Brake 5.56 Caliber by SilencerCo. This product is designed to enhance your shooting experience by reducing recoil and muzzle climb. To ensure safe and effective use, please read this safety instruction guide carefully. It contains important information regarding safety guidelines, installation, usage, and disposal.

General Safety Guidelines

- Always handle firearms and firearm accessories with care and respect.
- Ensure that the muzzle brake is compatible with your firearm model before use.
- Regularly inspect the muzzle brake for signs of wear or damage.
- Use the muzzle brake only with appropriate ammunition (5.56 caliber).
- Store the muzzle brake in a secure location, away from unauthorized users, especially children.
- Follow local laws and regulations regarding firearm accessories and usage.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Always wear appropriate eye and ear protection when firing your firearm.
- Ensure the firearm is unloaded before attaching or detaching the muzzle brake.
- Do not modify the muzzle brake or attempt to disassemble it.
- Avoid using the muzzle brake in conditions that may cause excessive heat or pressure.
- Be aware of your surroundings and ensure a clear shooting area before firing.
- Never point the firearm at anything you do not intend to shoot.

Instructions for Installation and Usage

Installation

1. **Check Compatibility:** Ensure that your firearm is compatible with the ASR mounting system.
2. **Prepare the Firearm:** Make sure the firearm is unloaded and pointed in a safe direction.
3. **Attach the Muzzle Brake:**
 - Align the muzzle brake with the threads of the firearm.
 - Handtighten the muzzle brake onto the threads (1/228).
 - Use one hand to hold the muzzle brake and the other to secure it tightly.
4. **Check for Secure Fit:** Ensure the muzzle brake is securely attached before use.

Usage

- After installation, perform a function check to ensure proper operation.
- When firing, maintain a firm grip on the firearm to manage recoil effectively.
- Observe all safety precautions listed above during shooting.

Disposal Instructions

- Dispose of the muzzle brake in accordance with local regulations regarding firearm accessories.
- If the muzzle brake is damaged or no longer usable, do not attempt to repair it. Dispose of it safely to prevent unauthorized use.

Contact Information for Further Support

For further support or inquiries regarding safety, installation, or usage of the AR15 ASR Muzzle Brake, please refer to the manufacturer's website or contact your local dealer.

This safety instruction guide is designed to promote the safe and responsible use of the AR15 ASR Muzzle Brake 5.56 Caliber. By following these guidelines, you can help ensure a safe shooting experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk