

CETME FLASH HIDER BLACK M12X1R 22CAL - HILL & MAC GUNWORKS CETME FLASH HIDER BLACK M12X1R 22CAL

[Rifle Parts](#) > [Muzzle Devices](#) > [Flash Hiders](#)

Add this USA-Made Part to your CETME Build

The Hill & Mac Gunworks M12X1R Black .22-caliber CETME Flash Hider is one of several USA-made parts required in order to build a CETME rifle under 922r-compliant standards. The flash hider is designed to work with the thread pattern found on original CETME rifle barrels, as well as the thread pattern found on HMG's new-production CETME barrels. The Hill & Mac Gunworks M12X1R Black .22-caliber CETME Flash Hider features a number of enhancements over original CETME muzzle devices and are compatible with both Model L and Model LC CETME rifles. Device features milled flats for use with a 3/4-inch wrench for tightening The muzzle device can be used without a lock washer Constructed from AISI 4140 steel hardened to HRC 50 Allows for the use of an original bayonet Gun builders who own a Hill & Mac Gunworks M12X1R Black .22-caliber CETME Flash Hider must also purchase a receiver flat, disconnecter, barrel and magazine from the company in order to ensure that the rifle meets 922r regulations.



The Hill & Mac Gunworks M12X1R Black .22-caliber CETME Flash Hider is one of several USA-made parts required in order to build a CETME rifle under 922r-compliant standards. The flash hider is designed to work with the thread pattern found on original CETME rifle barrels, as well as the thread pattern found on HMG's new-production CETME barrels. The Hill & Mac Gunworks M12X1R Black .22-caliber CETME Flash Hider features a number of enhancements over original CETME muzzle devices and are compatible with both Model L and Model LC CETME rifles. Device features milled flats for use with a 3/4-inch wrench for tightening The muzzle device can be used without a lock washer Constructed from AISI 4140 steel hardened to HRC 50 Allows for the use of an original bayonet Gun builders who own a Hill & Mac Gunworks M12X1R Black .22-caliber CETME Flash Hider must also purchase a receiver flat, disconnecter, barrel and magazine from the company in order to ensure that the rifle meets 922r regulations.

Attributes

- Name: [HILL & MAC GUNWORKS CETME FLASH HIDER BLACK M12X1R 22CAL](#)
- Manufacturer: [HILL & MAC GUNWORKS](#)
- Product no.: 100500408
- Mfr. No.: RC-03029-1
- Caliber: 22 Caliber (.223-.224)
- Finish: Black
- Threads: M12x1RH
- Delivery weight: 0.113kg
- Shipping height: 25mm
- Shipping width: 102mm
- Shipping length: 152mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [CETME Flash Hider Safety Instruction Guide](#)
- [About Us](#)

CETME Flash Hider Safety Instruction Guide

Introduction

Thank you for choosing the Hill & Mac Gunworks M12X1R Black .22caliber CETME Flash Hider. This guide provides essential safety instructions to ensure the safe use and installation of your product in compliance with the EU General Product Safety Regulation (GPSR). Please read this guide carefully before use.

General Safety Guidelines

- Ensure that you are familiar with the safety regulations and laws regarding firearm accessories in your region.
- Always handle firearms and accessories with care and follow standard safety protocols.
- Keep the product out of reach of children and unauthorized individuals.
- Regularly inspect the flash hider for any signs of damage or wear. Do not use if damaged.
- Report any unsafe products or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Use the flash hider only with compatible CETME rifle models (Model L and Model LC).
- Ensure that the thread pattern of the flash hider matches the barrel of your CETME rifle (M12x1RH).
- Do not attempt to modify the flash hider or use it in a manner not intended by the manufacturer.
- Always wear appropriate eye protection when firing a weapon equipped with a flash hider.
- Be aware that the flash hider may cause a change in the muzzle report of the firearm.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and safe before installation.
- Have a 3/4inch wrench ready for installation.

2. Installation:

- Align the flash hider with the threaded barrel of your CETME rifle.
- Carefully screw the flash hider onto the barrel, ensuring it is securely fitted.
- Use the 3/4inch wrench to tighten the flash hider. Do not overtighten, as this may cause damage.

3. Usage:

- After installation, check for proper alignment and secure fit.
- Fire the weapon in a safe environment, following all firearm safety practices.
- Regularly inspect the flash hider for any signs of wear or loosening during use.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding metal and firearm accessories.
- Do not dispose of the product in general household waste.
- Consider recycling options available in your area.

Contact Information for Further Support

For any inquiries or further assistance regarding the CETME Flash Hider, please refer to the manufacturer's contact information included with your product packaging or visit the official website.

Thank you for your attention to these safety instructions. Your safety and the safety of others is our top priority. Enjoy your CETME Flash Hider responsibly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk