

CUSTOM COMPETITION 8MM (0.323") HOLLOW POINT BOAT TAIL BULLETS - NOSLER 8MM (0.323") 200GR HOLLOW POINT BOAT TAIL 100/BOX

[Reloading](#) > [Bullets](#) > [Rifle Bullets](#)

Nosler has combined the accuracy of the SAME bullet jackets used in custom bullets with their own ultra-precise lead alloy cores to create high performance match bullets in 8mm calibers. These bullets are being used by High Power and Long-Range shooters more and more! 100 count box.



Attributes

- Name: [NOSLER 8MM \(0.323"\) 200GR HOLLOW POINT BOAT TAIL 100/BOX](#)
- Manufacturer: [NOSLER](#)
- Product no.: 100658060
- Mfr. No.: 49524
- Ballistic Coefficient (G1): 0.520
- Brand Style: Custom Competition
- Bullet Style: Hollow Point Boat Tail (HPBT)
- Caliber: 8mm
- Diameter (Breech): 0.323
- Diameter (in): 0.323
- Grain: 200
- Sectional Density: 0.274
- Quantity: 100
- Delivery weight: 1.347kg
- UPC: 054041495240

Item details

Made in USA

US export classification: 0A505.x

Table of Contents

- Startpage
- CUSTOM COMPETITION 8MM HOLLOW POINT BOAT TAIL BULLETS SAFETY INSTRUCTIONS
- About Us

CUSTOM COMPETITION 8MM HOLLOW POINT BOAT TAIL BULLETS SAFETY INSTRUCTIONS

Introduction

Thank you for choosing Nosler CUSTOM COMPETITION 8MM (0.323") HOLLOW POINT BOAT TAIL BULLETS. This guide provides essential safety instructions to ensure the safe handling and use of these high-performance match bullets. Please read this document carefully before use to understand the potential hazards and necessary precautions.

General Safety Guidelines

- Always treat all ammunition and components as if they are loaded and ready to fire.
- Store bullets in a cool, dry place, away from direct sunlight and moisture.
- Keep bullets out of reach of children and unauthorized individuals.
- Follow all local laws and regulations regarding the purchase, storage, and use of ammunition.
- Use appropriate personal protective equipment (PPE) such as safety glasses and gloves when handling bullets.
- Regularly check for recalls or safety alerts regarding this product on the EU Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that your firearm is compatible with 8mm (0.323") ammunition before use.
- Always verify the grain and bullet style before loading.
- Do not exceed the recommended load data for your specific firearm.
- Avoid using damaged or deformed bullets.
- If you experience any misfires or malfunctions, follow the manufacturer's recommended procedures for clearing the firearm.
- Do not point the firearm at anything you do not intend to shoot.

Instructions for Installation and Usage

• Loading the Bullets:

- Use only the appropriate tools and equipment for loading.
- Carefully follow the loading instructions provided by your reloading equipment manufacturer.
- Ensure that the bullet is seated properly in the cartridge case.

• Shooting:

- Always shoot in a safe and controlled environment.
- Ensure that the firing range is clear of people and animals.
- Maintain a safe distance from the muzzle when firing.

• Cleaning:

- After use, clean your firearm according to the manufacturer's instructions.
- Dispose of any spent cartridges and bullet fragments responsibly.

Disposal Instructions

- Dispose of unused bullets and cartridges in accordance with local regulations.
- Do not throw bullets in regular trash or recycling bins.

- Contact local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the safety and use of Nosler CUSTOM COMPETITION 8MM (0.323") HOLLOW POINT BOAT TAIL BULLETS, please refer to the manufacturer's contact information provided with your product packaging.

By following these safety instructions, you help ensure a safe and enjoyable experience with your Nosler ammunition. Thank you for your attention to safety.

About Us

Brownells Europe

Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

P.O.Box 4300
Warwick
CV34 9BR

www.brownells.eu