

ACCUBOND 35 CALIBER (0.348') SPITZER BULLETS - NOSLER ACCUBOND 35 CALIBER (0.358") SPITZER BT 200GR 50/BOX

[Reloading](#) > [Bullets](#) > [Rifle Bullets](#)

Nosler AccuBond bullets are built with a proprietary bonding process that eliminates voids in the bullet core. AccuBond marries Nosler's traditional copper alloy jacket with its special lead alloy core. The polymer tip improves accuracy and ballistic performance. The result is a hunting bullet that flies true, penetrates deep, retains its weight and won't cause extensive fouling. 50 count box.



Attributes

- Name: [NOSLER ACCUBOND 35 CALIBER \(0.358"\) SPITZER BT 200GR 50/BOX](#)
- Manufacturer: [NOSLER](#)
- Product no.: 100658082
- Mfr. No.: 54425
- Ballistic Coefficient (G1): 0.365
- Brand Style: AccuBond
- Bullet Style: Spitzer
- Caliber: 35 Caliber
- Diameter (Breech): 0.358
- Diameter (in): 0.358
- Grain: 200
- Sectional Density: 0.223
- Quantity: 50
- UPC: 054041544252

Item details

Made in USA

US export classification: 0A505.x

Table of Contents

- Startpage
- Safety Instruction Guide for Nosler AccuBond 35 Caliber (0.358") Spitzer Bullets
- About Us

Safety Instruction Guide for Nosler AccuBond 35 Caliber (0.358") Spitzer Bullets

Introduction

Thank you for choosing Nosler AccuBond 35 Caliber (0.358") Spitzer Bullets. This guide provides essential safety instructions to ensure the safe use of this product. Please read and understand the guidelines before using the bullets.

General Safety Guidelines

- Ensure safe handling and storage of all ammunition products.
- Always treat every bullet as if it is live.
- Keep bullets out of reach of children and unauthorized persons.
- Use appropriate safety gear, such as eye protection and hearing protection, when handling or firing ammunition.
- Be aware of your surroundings when using this product to prevent accidents.
- Follow all local laws and regulations regarding ammunition use and storage.

Specific Safety Precautions for Use

- Only use these bullets in firearms that are specifically designed for the 35 caliber (0.358") ammunition.
- Inspect your firearm and ammunition before use to ensure they are in good condition.
- Do not exceed the manufacturer's recommended load specifications.
- Avoid using damaged or corroded bullets.
- Ensure that your firearm is pointed in a safe direction at all times.
- Do not attempt to modify or alter the bullets in any way.
- Be cautious of misfires; if a bullet does not fire, wait at least 30 seconds before attempting to clear the firearm.

Instructions for Installation and Usage

1. Preparation:

- Read the firearm's manual and follow the manufacturer's instructions for loading ammunition.
- Ensure that you are in a safe and legal location for firing.

2. Loading Bullets:

- Carefully insert the Nosler AccuBond bullets into the appropriate cartridge cases according to the reloading guidelines.
- Ensure that the polymer tip is not damaged during loading.

3. Firing:

- Load the firearm with the prepared ammunition.
- Always check that the firearm is functioning correctly before firing.
- Fire the weapon in a controlled and safe manner, following best practices for shooting.

4. PostFiring:

- After firing, safely unload the firearm and store it according to local laws and regulations.
- Clean your firearm regularly to prevent fouling from the bullets.

Disposal Instructions

- Follow local regulations for the disposal of ammunition and bullets.
- Do not throw bullets in regular trash.
- If you have expired or unwanted bullets, contact a local hazardous waste disposal facility for proper disposal methods.

Conclusion

By following these safety instructions, you can ensure a safer experience when using Nosler AccuBond 35 Caliber (0.358") Spitzer Bullets. Always prioritize safety and stay informed about the proper handling and usage of ammunition products.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk