

CUSTOM COMPETITION 8MM (0.323") HOLLOW POINT BOAT TAIL BULLETS - NOSLER 8MM (0.323") 200GR HOLLOW POINT BOAT TAIL 250/BOX

[Reloading](#) > [Bullets](#) > [Rifle Bullets](#)

Nosler has combined the accuracy of the SAME bullet jackets used in custom bullets with their own ultra-precise lead alloy cores to create high performance match bullets in 8mm calibers. These bullets are being used by High Power and Long-Range shooters more and more! 100 count box.



Attributes

- Name: [NOSLER 8MM \(0.323"\) 200GR HOLLOW POINT BOAT TAIL 250/BOX](#)
- Manufacturer: [NOSLER](#)
- Product no.: 100658084
- Mfr. No.: 56543
- Ballistic Coefficient (G1): 0.520
- Brand Style: Custom Competition
- Bullet Style: Hollow Point Boat Tail (HPBT)
- Caliber: 8mm
- Diameter (Breech): 0.323
- Diameter (in): 0.323
- Grain: 200
- Sectional Density: 0.274
- Quantity: 250
- Delivery weight: 3.266kg
- UPC: 054041565431

Item details

Made in USA

US export classification: 0A505.x

Table of Contents

- Startpage
- CUSTOM COMPETITION 8MM (0.323") HOLLOW POINT BOAT TAIL BULLETS Safety Instruction Guide
- About Us

CUSTOM COMPETITION 8MM (0.323") HOLLOW POINT BOAT TAIL BULLETS Safety Instruction Guide

Introduction

Thank you for choosing Nosler's CUSTOM COMPETITION 8MM (0.323") Hollow Point Boat Tail Bullets. This guide provides essential safety information and usage instructions to ensure a safe and effective experience with this product. Please read this guide carefully before using the bullets.

General Safety Guidelines

- Always treat all firearms and ammunition as if they are loaded.
- Store bullets and ammunition in a secure location out of reach of children and unauthorized users.
- Use bullets only in firearms that are specifically designed for 8mm (0.323") caliber ammunition.
- Follow all local, state, and national laws regarding the use and storage of ammunition.
- Regularly inspect your firearms and ammunition for signs of wear or damage.
- Do not use damaged or corroded bullets.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that you wear appropriate eye and ear protection while shooting.
- Never point a firearm at anything you do not intend to shoot.
- Keep your finger off the trigger until you are ready to fire.
- Be aware of your surroundings and ensure that the shooting area is clear of people and obstacles.
- Use only the recommended charge weights and powders when loading your ammunition.
- Avoid using bullets that have been exposed to moisture or extreme temperatures.
- If a bullet does not fire, wait at least 30 seconds before attempting to remove it from the chamber.

Instructions for Installation and Usage

1. Loading Bullets:

- Ensure that your reloading equipment is clean and in good working condition.
- Measure the correct charge of powder according to the specifications for 8mm ammunition.
- Carefully seat the Nosler 8mm (0.323") Hollow Point Boat Tail Bullets into the cartridge case, ensuring proper alignment.

2. Firing:

- Load the ammunition into a compatible firearm.
- Confirm that the firearm is in good working order and that the barrel is clear of obstructions.
- Aim at a safe target and ensure that the area behind the target is clear.

3. PostFiring:

- After firing, check the firearm for any signs of malfunction or damage.
- Clean your firearm according to the manufacturer's instructions to maintain optimal performance.

Disposal Instructions

- Dispose of any unused or damaged bullets in accordance with local regulations.
- Do not throw bullets in regular household waste.
- Check for local hazardous waste disposal facilities that accept ammunition.

Contact Information for Further Support

For any safety inquiries or additional information regarding the CUSTOM COMPETITION 8MM (0.323") Hollow Point Boat Tail Bullets, please refer to the manufacturer's website or customer service resources available in your region.

By adhering to these safety guidelines and instructions, you can help ensure a safe and enjoyable experience with your Nosler CUSTOM COMPETITION 8MM (0.323") Hollow Point Boat Tail Bullets. Thank you for your attention to these important safety measures.

About Us

Brownells Europe

Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

P.O.Box 4300
Warwick
CV34 9BR

www.brownells.eu