

ACCUBOND LONG RANGE 7MM (0.284") SPITZER BULLETS - NOSLER 7MM (0.284") 168GR SPITZER BOAT TAIL 100/BOX

[Reloading](#) > [Bullets](#) > [Rifle Bullets](#)

The design of the AccuBond®-LR allows for the highest B.C. possible in a bullet of the same caliber and weight. Designed with an optimum performance window ranging from 3,200fps to 1,300fps, the unique tapered jacket geometry and proprietary bonding process of the AccuBond®-LR allow it to expand rapidly for effective energy transfer and significant tissue damage while retaining sufficient weight to ensure deep penetration into the vitals. The AccuBond® bonding process allows the AccuBond®-LR to perform reliably on game throughout the entire velocity range, eliminating the problem of being "too close" often encountered with other high-B.C. bullets. The high-performance boat tail, long ogive, and polymer tip combine to make the AccuBond®-LR the sleekest, flattest-shooting, bonded, hunting bullet ever created. The ogive of the AccuBond®-LR is designed to provide excellent accuracy in a wide variety of firearms without the necessity of being loaded close to or in contact with the lands. The AccuBond®-LR will be packaged in 100 count boxes, and will initially be available in the following calibers and weights.



Attributes

- Name: [NOSLER 7MM \(0.284"\) 168GR SPITZER BOAT TAIL 100/BOX](#)
- Manufacturer: [NOSLER](#)
- Product no.: 100658088
- Mfr. No.: 58623
- Ballistic Coefficient (G1): 0.652
- Brand Style: Accubond Long Range
- Bullet Style: Spitzer
- Caliber: 7mm,284 Caliber
- Diameter (Breech): 0.284
- Diameter (in): 0.284
- Grain: 168
- Sectional Density: 0.298
- Quantity: 100
- Delivery weight: 1.089kg
- Shipping height: 48mm
- Shipping width: 86mm
- Shipping length: 109mm
- UPC: 054041586238

Item details

Made in USA

US export classification: 0A505.x

Table of Contents

- Startpage
- ACCUBOND LONG RANGE 7MM (0.284") SPITZER BULLETS SAFETY INSTRUCTION GUIDE
- About Us

ACCUBOND LONG RANGE 7MM (0.284") SPITZER BULLETS SAFETY INSTRUCTION GUIDE

Introduction

Thank you for choosing the ACCUBOND LONG RANGE 7MM (0.284") SPITZER BULLETS by Nosler. This guide provides essential safety instructions to ensure the safe use and handling of this product. Please read this guide thoroughly before using the bullets.

General Safety Guidelines

- Ensure that you are familiar with the laws and regulations regarding the use of ammunition in your area.
- Always store ammunition in a cool, dry place away from direct sunlight and moisture.
- Keep ammunition out of reach of children and unauthorized individuals.
- Inspect the ammunition for any visible damage before use. Do not use damaged bullets.
- Use appropriate safety gear, such as eye protection and hearing protection, when handling or shooting ammunition.
- Always follow the firearm manufacturer's instructions regarding the use of ammunition.

Specific Safety Precautions for Use

- Only use the ACCUBOND LONG RANGE 7MM (0.284") SPITZER BULLETS in firearms that are specifically chambered for this caliber.
- Ensure that your firearm is in good working condition and properly maintained.
- Do not exceed recommended loads as indicated by your reloading manual.
- Avoid using ammunition that has been exposed to high temperatures or moisture.
- Be aware of your surroundings and ensure that you are in a safe location when shooting.
- Always point the firearm in a safe direction and keep your finger off the trigger until you are ready to shoot.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary equipment, including your firearm, ammunition, and safety gear.
- Ensure the firearm is unloaded before installing the bullets.

2. Loading the Bullets:

- Follow the reloading manual specific to your firearm and bullet type for loading instructions.
- Use a reliable scale to measure powder charges accurately.
- Seat the bullets to the recommended overall length specified in your reloading manual.

3. Shooting:

- Choose a safe shooting range or area that is designated for shooting.
- Load the firearm with the prepared cartridges.
- Always check the firearm's chamber to ensure it is clear before loading.
- Fire in controlled bursts, allowing for cooling periods between shots if necessary.

4. PostShooting:

- After shooting, unload the firearm and ensure it is clear.

- Clean your firearm according to the manufacturer's instructions to maintain its performance and safety.

Disposal Instructions

- Dispose of any unused or damaged ammunition in accordance with local regulations.
- Do not throw ammunition in regular trash. Contact local authorities or waste management services for proper disposal methods.
- Ensure that spent casings and other debris are cleaned up after shooting to maintain a safe environment.

Contact Information for Further Support

For safety inquiries, please contact the designated EUbased contact point for this product. Ensure you have the product details ready for reference.

Conclusion

By following these safety instructions, you can ensure a safe and enjoyable experience with the ACCUBOND LONG RANGE 7MM (0.284") SPITZER BULLETS. Always prioritize safety and adhere to local laws and regulations regarding ammunition use. Thank you for choosing Nosler, and happy shooting!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk