

FLIP-OPEN OBJECTIVE LENS COVERS - OBJECTIVE LENS COVER #13 1.530" (38.9MM)

[Optics & Mounting](#) > [Optic Accessories](#) > [Scope Lens Covers](#)

Keeps Harmful Debris From Scratching Or Abusing Lenses

Weatherproof, dust-proof, moisture-proof scope covers protect your scope's lenses from being damaged during tactical and hunting situations. Cover flips open easily with finger pressure to spring up, and out of the way. Eye and Objective covers sold separately. To determine the correct scope cover, measure the diameter of your scope eyepiece or objective and use the chart.



Attributes

- Name: [OBJECTIVE LENS COVER #13 1.530" \(38.9MM\)](#)
- Manufacturer: [BUTLER CREEK](#)
- Product no.: 120000042
- Mfr. No.: 30130
- Color: Black
- End Fit: Objective
- Model Number: 1.530" (38.9MM)
- Size: 1.53
- Delivery weight: 0.005kg
- Shipping height: 41mm
- Shipping width: 69mm
- Shipping length: 122mm
- UPC: 051525301301

Table of Contents

- Startpage
- Safety Instruction Guide for FLIOPEN OBJECTIVE LENS COVERS
- About Us

Safety Instruction Guide for FLIPOOPEN OBJECTIVE LENS COVERS

Introduction

Thank you for purchasing the FLIPOOPEN OBJECTIVE LENS COVERS. These covers are designed to protect your scope's lenses from damage during tactical and hunting situations. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of this product.

General Safety Guidelines

- Always ensure that the lens covers are properly secured to prevent accidental opening during transport.
- Inspect the lens covers regularly for any signs of wear or damage.
- Avoid exposing the lens covers to extreme temperatures or direct sunlight for prolonged periods.
- Keep the lens covers out of reach of children and pets to prevent accidental ingestion or choking hazards.
- If the product is damaged or not functioning as intended, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- When flipping open the lens covers, ensure that your fingers are clear of the cover's path to avoid pinching.
- Use only for the specified lens sizes (1.530" or 38.9MM) to ensure a proper fit and function.
- Do not use the lens covers in wet or humid conditions without ensuring they are completely dry beforehand.
- Avoid using sharp objects to open or close the lens covers, as this may cause damage.

Instructions for Installation and Usage

1. Measuring for Fit:

- Measure the diameter of your scope eyepiece or objective using a caliper or ruler.
- Refer to the provided chart to ensure you select the correct size lens cover.

2. Installation:

- Align the lens cover with the eyepiece or objective.
- Gently press the cover onto the lens until it is securely in place.
- Ensure that the cover is flush against the scope to prevent any dust or moisture ingress.

3. Usage:

- To open the lens cover, apply gentle finger pressure to the designated area.
- The cover will spring open; ensure that your fingers are clear of the opening path.
- When not in use, ensure the lens cover is closed to protect the lens.

4. Maintenance:

- Regularly clean the lens covers with a soft, dry cloth to remove dust and debris.
- Do not use harsh chemicals or abrasive materials that may scratch the surface.

Disposal Instructions

- Dispose of the lens covers in accordance with local waste management regulations.
- If the product is no longer usable, consider recycling components where applicable.
- Do not dispose of the product in household waste if it contains hazardous materials.

Contact Information for Further Support

For any questions or concerns regarding the safety or functionality of the FLIOPEN OBJECTIVE LENS COVERS, please refer to the manufacturer's contact details provided with your product.

By following these guidelines, you can ensure the safe and effective use of your FLIOPEN OBJECTIVE LENS COVERS. Thank you for your attention to safety and for choosing our product.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at