

BALL-HEX "L" WRENCHES - 0.050" SAE BALL-HEX "L" WRENCH

[Gunsmith Tools & Supplies](#) > [General Gunsmith Tools](#) > [Wrenches](#) > [General Wrenches](#)

Work At Angles Up to 25

BALL-HEX "L" WRENCHES Because they can be "off" as much as 25°, ball-end, hex wrenches will work in places conventional ones won't. Use "square" end when more leverage is needed. Supplied in deluxe case with a locking slot for each wrench. NOTE: Standard Action calibers .222/.223/22-250 SPECS 2-7/8" (7.3cm) - 6?" (16.5cm) long. Inch Set - 12 sizes: .050", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16". Metric Set - 9 sizes; 1.5, 2, 2.5, 3, 4, 5, 6, 8 and 10mm.

Attributes

- Name: [0.050" SAE BALL-HEX "L" WRENCH](#)
- Manufacturer: [BONDHUS](#)
- Product no.: 123109050
- Mfr. No.: 10902
- Style: Allen Wrenches
- Delivery weight: 0.726kg
- Shipping height: 61mm
- Shipping width: 61mm
- Shipping length: 99mm
- UPC: 037231109028

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for BALLHEX "L" WRENCHES
- About Us

Safety Instruction Guide for BALLHEX "L" WRENCHES

Introduction

Thank you for choosing the BALLHEX "L" WRENCHES. This guide provides essential safety information to ensure the safe and effective use of this product. Please read this guide carefully before using the wrenches.

General Safety Guidelines

- Always inspect the wrenches before use to ensure they are in good condition.
- Use the wrenches only for their intended purpose.
- Keep the wrenches out of reach of children and vulnerable individuals.
- Store the wrenches in the supplied case when not in use to prevent damage and accidents.
- Do not use the wrenches if they show signs of wear or damage.
- Ensure that the work area is clean and free of hazards before using the wrenches.

Specific Safety Precautions for Use

- Use the ballend of the wrench for accessing fasteners at angles up to 25°.
- Use the square end of the wrench when more leverage is required.
- Do not exceed the recommended torque specifications for fasteners.
- Avoid using the wrenches on rounded or damaged fasteners, as this can lead to slippage and injury.
- Always wear appropriate personal protective equipment, such as safety glasses and gloves, when using tools.
- Be cautious of sharp edges and moving parts in the work area.

Instructions for Installation and Usage

1. Selecting the Right Size:

- Choose the appropriate size wrench from the set based on the fastener you are working with.
- The Inch Set includes sizes: .050", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", and 5/16".
- The Metric Set includes sizes: 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, and 10mm.

2. Using the Wrench:

- Insert the ballend of the wrench into the fastener and turn it gently to engage.
- If more leverage is needed, flip the wrench to use the square end.
- Apply even pressure and avoid using excessive force to prevent damage to the fastener or wrench.

3. After Use:

- Wipe the wrenches clean to remove any debris or contaminants.
- Return the wrenches to the deluxe case for safe storage.

Disposal Instructions

- Dispose of the wrenches in accordance with local regulations.
- If the wrenches are damaged beyond repair, recycle them if possible.
- Do not dispose of the wrenches in household waste if they contain hazardous materials.

Contact Information for Further Support

For any safety inquiries or concerns regarding the BALLHEX "L" WRENCHES, please refer to the contact information provided on the product packaging or visit the manufacturer's website.

Conclusion

By following the safety guidelines and instructions outlined in this guide, you can ensure a safe and effective experience with your BALLHEX "L" WRENCHES. Always prioritize safety and use the tools responsibly. Thank you for your attention to these important safety instructions.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at