

CZ 527 MAGAZINE 204 RUGER® - CZ USA CZ 527 MAGAZINE 204 RUGER® 5RD STEEL BLACK

[Magazines](#) > [Rifle Magazines](#) > [Magazines](#)

Straight from the manufacturer of your rifle, these magazines ensure your CZ "mini Mauser" cycles rounds smoothly, without glitches. Traditional steel construction mag body, matte blued finish. Steel follower is left in-the-white, with the cartridge stamped on it. Removable base plate for easy cleaning.



Attributes

- Name: [CZ USA CZ 527 MAGAZINE 204 RUGER® 5RD STEEL BLACK](#)
- Manufacturer: [CZ USA](#)
- Product no.: 131000029
- Mfr. No.: 13007
- Capacity: 5-Round
- Cartridge: 204 Ruger
- Finish: Black
- Make: CZ
- Material: Steel
- Model: 527
- Delivery weight: 0.091kg
- UPC: 806703130071

Item details

US export classification: 0A501.x

Table of Contents

- [Startpage](#)
- [CZ 527 Magazine 204 Ruger® Safety Instruction Guide](#)
- [About Us](#)

CZ 527 Magazine 204 Ruger® Safety Instruction Guide

Introduction

Thank you for choosing the CZ 527 Magazine 204 Ruger®. This guide provides essential safety instructions, usage guidelines, and disposal information to ensure your safety and the proper functioning of your product. Please read this guide thoroughly before using the magazine.

General Safety Guidelines

- Always handle the magazine with care, treating it as if it is loaded.
- Ensure that your firearm is pointed in a safe direction when loading or unloading.
- Keep the magazine out of reach of children and unauthorized users.
- Regularly inspect the magazine for signs of wear or damage.
- Use only approved cartridges in the magazine to avoid malfunctions.
- Follow all local laws and regulations regarding firearm and ammunition storage and usage.

Specific Safety Precautions for Use

- Do not attempt to modify the magazine in any way, as this can lead to malfunctions and unsafe conditions.
- Ensure that the magazine is compatible with your CZ 527 firearm model before use.
- Always perform a visual inspection of the magazine before loading to ensure it is clean and free of obstructions.
- Never exceed the magazine's capacity of 5 rounds.
- If the magazine does not seat properly in the firearm, do not force it. Check for obstructions or damage.

Instructions for Installation and Usage

1. Installation:

- Ensure that the firearm is unloaded and pointed in a safe direction.
- Align the magazine with the magazine well of the CZ 527.
- Gently push the magazine into the magazine well until it clicks into place.

2. Loading the Magazine:

- Hold the magazine securely in one hand.
- Insert the cartridges into the magazine, ensuring they are oriented correctly.
- Do not exceed the maximum capacity of 5 rounds.

3. Using the Magazine:

- Insert the loaded magazine into the firearm as instructed in the firearm's manual.
- Always check the firearm's chamber to ensure it is empty before loading the magazine.
- After loading the magazine, engage the safety mechanism of the firearm until you are ready to shoot.

4. Unloading the Magazine:

- Ensure the firearm is pointed in a safe direction.
- Remove the magazine from the firearm by pressing the magazine release button.

- Carefully remove any remaining cartridges from the magazine.

Disposal Instructions

- Dispose of the magazine in accordance with local regulations regarding metal recycling or hazardous waste.
- If the magazine is damaged or no longer functional, do not attempt to repair it.

Contact Information for Further Support

For any safety inquiries or further assistance regarding your CZ 527 Magazine 204 Ruger®, please reach out to your local authorized CZ USA dealer or visit the official CZ USA website for additional support and resources.

By following these safety instructions and guidelines, you help ensure a safe and enjoyable shooting experience. Always prioritize safety and be aware of your surroundings when handling firearms and ammunition.

About Us

Brownells Europe

Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

P.O.Box 4300
Warwick
CV34 9BR

www.brownells.eu