

20GA TRU-CHOKE CHOKE TUBES - TRU-CHOKE 20GA FULL SS

[Shotgun Parts](#) > [Choke Tubes & Accessories](#) > [Choke Tubes](#)

Flush mount, stainless steel tubes available for the many shotguns using the popular Win-Choke thread size and standard Tru-Chokes, plus Remington, Beretta/Benelli, Browning Invector Plus, and Mossberg 835 Ultra Mag. These tubes can be used with magnum and steel shot loads. Tru™-Choke Thinwall tubes are recommended for 2¾" Lead Shot loads ONLY. All X-Full and Turkey constrictions are for use with Lead and Hevi-Shot ONLY!



Attributes

- Name: [TRU-CHOKE 20GA FULL SS](#)
- Manufacturer: [CARLSONS](#)
- Product no.: 155220002
- Mfr. No.: 01076
- Choke Type: Full
- Gauge: 20 Gauge
- Make: Tru-Choke
- Style: Standard
- Delivery weight: 0.018kg
- Shipping height: 18mm
- Shipping width: 33mm
- Shipping length: 76mm
- UPC: 723189010768

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 20GA TRUCHOKE CHOKE TUBES
- About Us

Safety Instruction Guide for 20GA TRUCHOKE CHOKE TUBES

Introduction

Thank you for choosing the 20GA TRUCHOKE CHOKE TUBES. This guide provides essential safety instructions and information to ensure the safe use of this product. Please read this document carefully before using the choke tubes.

General Safety Guidelines

- Ensure that you are familiar with your shotgun and its specifications before using the choke tubes.
- Always follow the manufacturer's instructions for your shotgun to avoid accidents.
- Check for any visible damage to the choke tubes before installation. Do not use damaged tubes.
- Keep choke tubes out of reach of children and vulnerable individuals.
- Use only the recommended ammunition types with the choke tubes to prevent malfunctions.
- Report any unsafe products or accidents to the appropriate authorities.
- Regularly check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use choke tubes only with compatible shotguns, including those using WinChoke, TruChoke, RemChoke, Beretta/Benelli, and Browning Invector Plus threads.
- Ensure that the correct gauge (20 Gauge) is used with the choke tubes to prevent accidents.
- Avoid using TruChoke Thinwall tubes with anything other than 2¾" Lead Shot loads.
- XFull and Turkey constrictions should only be used with Lead and HeviShot.
- Do not exceed the recommended load specifications for your choke tubes.
- Always wear appropriate safety gear, including eye and ear protection, when using shotguns.

Instructions for Installation and Usage

1. Installation:

- Ensure the shotgun is unloaded before installing or removing the choke tubes.
- Use a choke tube wrench to install the tube securely into the shotgun barrel.
- Turn the choke tube clockwise until it is snug, but do not overtighten.
- Verify that the choke tube is properly seated and secure before use.

2. Usage:

- Load your shotgun with the appropriate ammunition for the installed choke tube.
- Always check the choke tube before each use to ensure it is not loose or damaged.
- Follow the shooting range or local laws regarding the use of choke tubes and shotguns.
- After shooting, inspect the choke tube for any signs of wear or damage.

Disposal Instructions

- Dispose of any damaged or worn choke tubes in accordance with local regulations.
- Do not throw choke tubes in regular household waste. Instead, take them to a designated waste disposal facility.
- Ensure that all packaging materials are disposed of responsibly and in an environmentally friendly manner.

Contact Information for Further Support

For any inquiries regarding the safety and use of the 20GA TRUCHOKE CHOKE TUBES, please refer to the manufacturer's contact information provided on the product packaging or website.

By following these safety instructions, you can ensure a safe and enjoyable experience with your 20GA TRUCHOKE CHOKE TUBES. Thank you for prioritizing safety.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at