

# NO-GO HEADSPACE GAUGES - NO GO 40 S&W HEADSPACE GAUGE STEEL

[Gunsmith Tools & Supplies](#) > [Measuring Tools](#) > [Headspace Gauges](#)

## Absolutely Essential For Accurate, Safe, Chamber Work

CLYMER NO-GO HEADSPACE GAUGES The Clymer No-Go Headspace Gauges are precision tools designed to help gunsmiths and firearm enthusiasts verify that a firearm's chamber does not exceed the maximum safe headspace dimensions. By identifying excessive chamber length, these gauges prevent potential safety hazards such as case ruptures or misfires, ensuring the firearm operates within the specified tolerances. They are essential during the chambering of new barrels, routine maintenance, or when assessing used firearms for purchase. Key Features: Precision Machining: Each gauge is crafted from high-quality steel and machined to exact SAAMI specifications, ensuring accurate and reliable measurements. Caliber Specificity: Available in a wide range of calibers, these gauges cater to various firearm types, providing versatility for gunsmiths working with multiple platforms. Durable Construction: Built to withstand repeated use, the hardened steel construction ensures longevity and consistent performance in demanding workshop environments. Specifications: Material: Hardened steel Dimensions: Size varies with caliber and gauge style Compliance: Manufactured to SAAMI specifications Customer Insights: Customers value the Clymer No-Go Headspace Gauges for their precision and reliability. The accurate machining and adherence to industry standards provide confidence during firearm assembly and inspection processes. Users appreciate the wide range of available calibers, allowing them to select the appropriate gauge for their specific needs. The durable construction is frequently highlighted, with many noting that the gauges maintain their accuracy even after extensive use. Incorporating the Clymer No-Go Headspace Gauges into your gunsmithing toolkit ensures that your firearm chambers are within safe operational limits, enhancing both safety and performance.



## Attributes

- Name: [NO GO 40 S&W HEADSPACE GAUGE STEEL](#)
- Manufacturer: [CLYMER](#)
- Product no.: 184100401
- Mfr. No.: NG40SW
- Cartridge: 40 S&W
- Color: Steel
- Height: 0.68"
- Length: 1.25"
- Material: Steel
- Model Number: NO GO 40 S&W
- Style: No Go Gauge
- Weight: 0.02 lbs
- Width: 0.68"
- Delivery weight: 0.014kg
- Shipping height: 18mm
- Shipping width: 18mm
- Shipping length: 58mm

**Item details**

Made in USA

# Table of Contents

- [Startpage](#)
- [Clymer NoGo Headspace Gauges Safety Instructions](#)
- [About Us](#)

# Clymer NoGo Headspace Gauges Safety Instructions

## Introduction

Thank you for choosing the Clymer NoGo Headspace Gauges. These precision tools are designed to help ensure the safe operation of firearms by verifying that a firearm's chamber does not exceed maximum safe headspace dimensions. This guide provides essential safety instructions to help you use the product safely and effectively.

## General Safety Guidelines

- Always handle firearms and headspace gauges with care and follow standard safety practices.
- Ensure that you are using the correct gauge for your specific caliber.
- Keep the gauges out of reach of children and unauthorized users.
- Inspect the gauges for damage before each use. Do not use if damaged.
- Store the gauges in a safe, dry place when not in use to prevent corrosion and damage.
- Report any unsafe conditions or incidents to the appropriate authorities.

## Specific Safety Precautions for Use

- Use the gauges only for their intended purpose: to check headspace in firearms.
- Avoid using excessive force when inserting or removing the gauge from the chamber.
- Ensure the firearm is unloaded before using the gauge.
- Do not attempt to modify or repair the gauges; contact a professional if issues arise.
- Wear appropriate personal protective equipment (PPE) when using firearms and gauges.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure that the firearm is completely unloaded and pointed in a safe direction.
- Gather all necessary tools and equipment before starting.

### 2. Using the Gauge:

- Select the appropriate Clymer NoGo Headspace Gauge for your firearm caliber (40 S&W).
- Insert the gauge into the chamber of the firearm gently.
- Attempt to close the bolt. If the bolt does not close completely, the headspace is within safe limits.
- If the bolt closes completely, this indicates excessive headspace, and the firearm should not be used until corrected.

### 3. PostUse:

- Remove the gauge from the chamber carefully.
- Clean the gauge after use to remove any debris or residue.
- Store the gauge in its designated case or storage area.

## Disposal Instructions

- Dispose of any damaged or unusable gauges in accordance with local regulations.
- Do not dispose of the gauges in regular household waste. Check with local authorities for proper disposal methods.

## **Contact Information for Further Support**

For any questions or concerns regarding the Clymer NoGo Headspace Gauges, please refer to the manufacturer's contact details provided with your product.

By following these safety instructions, you can ensure a safe and effective experience with the Clymer NoGo Headspace Gauges. Thank you for prioritizing safety in your firearms practices.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)