

NO-GO HEADSPACE GAUGES - NO GO 7.62X54R HEADSPACE GAUGE STEEL

[Gunsmith Tools & Supplies](#) > [Measuring Tools](#) > [Headspace Gauges](#)

Absolutely Essential For Accurate, Safe, Chamber Work

CLYMER NO-GO HEADSPACE GAUGES The Clymer No-Go Headspace Gauges are precision tools designed to help gunsmiths and firearm enthusiasts verify that a firearm's chamber does not exceed the maximum safe headspace dimensions. By identifying excessive chamber length, these gauges prevent potential safety hazards such as case ruptures or misfires, ensuring the firearm operates within the specified tolerances. They are essential during the chambering of new barrels, routine maintenance, or when assessing used firearms for purchase. Key Features: Precision Machining: Each gauge is crafted from high-quality steel and machined to exact SAAMI specifications, ensuring accurate and reliable measurements. Caliber Specificity: Available in a wide range of calibers, these gauges cater to various firearm types, providing versatility for gunsmiths working with multiple platforms. Durable Construction: Built to withstand repeated use, the hardened steel construction ensures longevity and consistent performance in demanding workshop environments. Specifications: Material: Hardened steel Dimensions: Size varies with caliber and gauge style Compliance: Manufactured to SAAMI specifications Customer Insights: Customers value the Clymer No-Go Headspace Gauges for their precision and reliability. The accurate machining and adherence to industry standards provide confidence during firearm assembly and inspection processes. Users appreciate the wide range of available calibers, allowing them to select the appropriate gauge for their specific needs. The durable construction is frequently highlighted, with many noting that the gauges maintain their accuracy even after extensive use. Incorporating the Clymer No-Go Headspace Gauges into your gunsmithing toolkit ensures that your firearm chambers are within safe operational limits, enhancing both safety and performance.



Attributes

- Name: [NO GO 7.62X54R HEADSPACE GAUGE STEEL](#)
- Manufacturer: [CLYMER](#)
- Product no.: 184100501
- Mfr. No.: NG7.62X54R
- Cartridge: 7.62 x 54 mm Russian
- Color: Steel
- Height: 0.47"
- Length: 0.73"
- Material: Steel
- Model Number: NO GO 7.62x54R
- Style: No Go Gauge
- Weight: 0.1 lbs
- Width: 0.47"
- Delivery weight: 0.018kg
- Shipping height: 18mm
- Shipping width: 20mm
- Shipping length: 58mm

Item details

Made in USA

Table of Contents

- Startpage
- Clymer NoGo Headspace Gauges Safety Instruction Guide
- About Us

Clymer NoGo Headspace Gauges Safety Instruction Guide

Introduction

Thank you for choosing the Clymer NoGo Headspace Gauges. These precision tools are essential for verifying that your firearm's chamber does not exceed maximum safe headspace dimensions. This guide provides important safety instructions to ensure safe and effective use of the product in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the Clymer NoGo Headspace Gauge is used only for its intended purpose—checking the headspace of firearms.
- Always follow local laws and regulations regarding firearm maintenance and use.
- Keep the gauge out of reach of children and individuals who may not understand its purpose.
- Regularly inspect the gauge for signs of wear or damage before each use. If any defects are found, do not use the gauge.
- Store the gauge in a safe and dry location to prevent damage and maintain its accuracy.

Specific Safety Precautions for Use

- Always wear appropriate safety gear, including eye protection, when using the gauge.
- Ensure the firearm is unloaded and pointed in a safe direction before performing any checks with the gauge.
- Use the gauge in a welllit area to ensure clear visibility and accurate measurements.
- Do not force the gauge into the chamber. If resistance is encountered, stop and assess the situation.
- Be aware of the gauge's specifications and limits; do not exceed the recommended use for your specific firearm caliber.

Instructions for Installation and Usage

1. Preparation

- Ensure that your workspace is clean and free of obstructions.
- Gather all necessary tools and safety equipment.

2. Checking Headspace

- Confirm that the firearm is unloaded and pointed in a safe direction.
- Remove the bolt or breech block of the firearm, if applicable.
- Insert the Clymer NoGo Headspace Gauge into the chamber of the firearm.
- Gently close the bolt or breech block. The gauge should not allow the bolt to close completely.
- If the bolt closes, this indicates that the headspace is excessive and the firearm should not be used until corrected.

3. PostCheck Procedure

- Remove the gauge from the chamber carefully.
- Inspect the gauge for any signs of wear or damage after use.
- Clean the gauge according to the manufacturer's recommendations to maintain its precision.

Disposal Instructions

- Dispose of any damaged or worn gauges in accordance with local regulations for metal waste.
- Do not throw the gauge into regular household waste.
- If the gauge is still functional but no longer needed, consider donating it to a local gunsmith or firearms training facility.

Contact Information for Further Support

For any questions or concerns regarding the Clymer NoGo Headspace Gauges, please refer to the manufacturer's contact details provided with the product packaging or on the manufacturer's official website.

Thank you for prioritizing safety and precision in your firearms maintenance.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at