

SHOTGUN RIM CUTTER & HEADSPACE RING - CLYMER HEADSPACE RING FITS 12 GAUGE

[Gunsmith Tools & Supplies](#) > [Barrel Tools](#) > [Reamers](#) > [Shotgun Reamers](#)

Restore Headspace On Worn Guns

Cutter removes damaged metal from shotgun chambers with damaged rim-recess areas. Solder ring in place, recut rim.



Attributes

- Name: [CLYMER HEADSPACE RING FITS 12 GAUGE](#)
- Manufacturer: [CLYMER](#)
- Product no.: 184116012
- Mfr. No.: HSR12GA
- Cartridge: 12 Gauge
- Style: Chamber Rim Cutters
- Delivery weight: 0.005kg

Item details

Made in USA

Table of Contents

- Startpage
- SHOTGUN RIM CUTTER & HEADSPACE RING SAFETY INSTRUCTIONS
- About Us

SHOTGUN RIM CUTTER & HEADSPACE RING SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the SHOTGUN RIM CUTTER & HEADSPACE RING manufactured by CLYMER. This product is designed to safely remove damaged metal from shotgun chambers with damaged rimrecess areas. It is essential to follow these safety instructions to ensure safe usage and optimal performance.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always wear appropriate personal protective equipment (PPE) such as safety glasses and gloves while using the cutter.
- Keep the work area clean and welllit to prevent accidents.
- Store the product in a dry and secure location out of reach of children.
- Regularly inspect the cutter for any signs of damage or wear before use.
- If the product appears damaged or malfunctioning, do not use it and seek assistance.

Specific Safety Precautions for Use

- **Hazard Identification:**
 - Sharp edges on the cutter can cause cuts or injuries.
 - Improper handling may lead to accidents.
- **Avoiding Hazards:**
 - Always handle the cutter with care and avoid placing fingers near the cutting edge.
 - Ensure that the cutter is securely fastened before use.
 - Do not force the cutter; if it does not cut easily, stop and check for obstructions.
- **Age Restrictions:**
 - This product is intended for use by adults. Keep it away from children.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials before starting.
- Ensure that the shotgun is unloaded and safe to work on.

2. Installation of the Cutter:

- Insert the bronze pilot bushing into the shotgun chamber.
- Align the cutter with the damaged rimrecess area.
- Secure the cutter in place to prevent movement during operation.

3. Using the Cutter:

- Apply firm, even pressure while turning the cutter to remove damaged metal.
- Periodically check the progress and ensure that the cutter is cutting evenly.
- Once the damaged area is cleared, remove the cutter carefully.

4. PostUse Care:

- Clean the cutter and bushing after each use to remove debris.

- Store the cutter in its original packaging or a safe container.

Disposal Instructions

- Dispose of any damaged or worn components according to local regulations.
- Do not throw the product in regular household waste. Check with local waste management for proper disposal methods.

Contact Information for Further Support

For safety inquiries or additional support, please refer to the manufacturer's contact information provided with the product packaging.

By adhering to these safety instructions, you can ensure a safe and effective experience with the SHOTGUN RIM CUTTER & HEADSPACE RING. Thank you for your attention to safety.

About Us

Brownells Europe

Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

P.O.Box 4300
Warwick
CV34 9BR

www.brownells.eu