

MANDRELS - CRATEX MANDREL TRY-PAK (2)

[Gunsmith Tools](#) > [Power Tools & Accessories](#) > [Rubber Abrasive Tools](#) > [Rubber Abrasive Accessories](#)

#4 Point Mandrel, 1/8" shank diameter, fits 1/16" (1.59mm) arbor hole. #6 Point Mandrel, 1/8" shank diameter fits 1/8" arbor hole. 25,000 rpm max. Mandrels sold 3 each per pkg. Try-Pak contains 1 of each size.



Attributes

- Name: [CRATEX MANDREL TRY-PAK \(2\)](#)
- Manufacturer: [CRATEX](#)
- Product no.: 190001000
- Mfr. No.:
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm

Table of Contents

- [Startpage](#)
- [MANDRELS CRATEX MANDREL TRYPAK \(2\) Safety Instructions](#)
- [About Us](#)

MANDRELS CRATEX MANDREL TRYPAK (2) Safety Instructions

Introduction

Thank you for choosing the MANDRELS CRATEX MANDREL TRYPAK. This product is designed for use with various tools and applications requiring precision and durability. To ensure your safety and the effective use of this product, please read and follow the safety instructions provided in this guide.

General Safety Guidelines

- Always use personal protective equipment (PPE) such as safety glasses and gloves when handling and using the mandrels.
- Inspect the mandrels for any visible damage before use. Do not use damaged or worn mandrels.
- Ensure that the tool you are using is compatible with the mandrel size and specifications.
- Keep the work area clean and welllit to avoid accidents.
- Maintain a safe distance from others when operating tools with mandrels.
- Follow all manufacturer instructions for the tools being used with the mandrels.

Specific Safety Precautions for Use

- **Hazard Identification:**

- Risk of injury from rotating parts.
- Risk of inhalation of dust generated during use.

- **Avoiding Hazards:**

- Do not operate the mandrels at speeds exceeding 25,000 RPM.
- Always secure the workpiece before starting work.
- Do not remove safety guards from tools.
- Ensure that the mandrel is properly inserted and secured in the tool before use.
- Do not exceed the recommended shank diameter or arbor hole size for your tool.

- **AgeSpecific Warnings:**

- This product is not intended for use by children. Keep out of reach of children.

Instructions for Installation and Usage

1. Installation:

- Select the appropriate mandrel size for your application.
- Insert the mandrel into the tool's chuck or collet, ensuring it fits snugly.
- Tighten the chuck or collet securely to prevent the mandrel from loosening during operation.

2. Usage:

- Always wear appropriate PPE before starting the tool.
- Start the tool at a low speed to ensure stability.
- Gradually increase the speed as needed, but do not exceed the maximum RPM.
- Use the mandrel at the recommended angle and pressure to avoid excessive wear or breakage.
- If you notice any unusual vibrations, noises, or performance issues, stop using the tool

immediately and inspect the mandrel and tool.

Disposal Instructions

- Dispose of used mandrels and packaging in accordance with local regulations.
- Do not dispose of mandrels in regular household waste. Check for local recycling programs or hazardous waste disposal facilities.

Contact Information for Further Support

For any inquiries regarding the safety and use of the MANDRELS CRATEX MANDREL TRYPAK, please contact the manufacturer or refer to the product packaging for more details.

By following these safety instructions, you can ensure a safer working environment and maximize the performance of your MANDRELS CRATEX MANDREL TRYPAK. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk