

MANDRELS - CRATEX #4 POINT MANDREL (3)

[Gunsmith Tools](#) > [Power Tools & Accessories](#) > [Rubber Abrasive Tools](#) > [Rubber Abrasive Accessories](#)

#4 Point Mandrel, 1/8" shank diameter, fits 1/16" (1.59mm) arbor hole. #6 Point Mandrel, 1/8" shank diameter fits 1/8" arbor hole. 25,000 rpm max. Mandrels sold 3 each per pkg. Try-Pak contains 1 of each size.



Attributes

- Name: [CRATEX #4 POINT MANDREL \(3\)](#)
- Manufacturer: [CRATEX](#)
- Product no.: 190001004
- Mfr. No.:
- Delivery weight: 0.009kg
- Shipping width: 83mm
- Shipping length: 146mm

Table of Contents

- Startpage
- MANDRELS CRATEX #4 POINT MANDREL (3) Safety Instruction Guide
- About Us

MANDRELS CRATEX #4 POINT MANDREL (3)

Safety Instruction Guide

Introduction

Thank you for choosing the MANDRELS CRATEX #4 POINT MANDREL (3). This guide provides essential safety instructions to ensure the safe usage of this product. Please read this guide carefully before using the mandrels to understand the potential hazards and how to avoid them.

General Safety Guidelines

- Always use the mandrels according to the manufacturer's instructions.
- Ensure that the mandrels are suitable for your specific application and tool.
- Inspect the mandrels for any signs of damage or wear before each use.
- Keep the mandrels out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to relevant authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Personal Protective Equipment (PPE):**

- Always wear appropriate safety goggles to protect your eyes from debris.
- Use a dust mask to avoid inhaling harmful particles.
- Wear gloves to protect your hands from abrasions.

- **Work Environment:**

- Ensure your work area is clean and welllit.
- Keep the work area free from clutter to prevent accidents.
- Avoid using the mandrels in wet or damp conditions.

- **Tool Compatibility:**

- Confirm that your tool is compatible with the mandrel's shank diameter of 1/8".
- Ensure that the arbor hole size matches the mandrel specifications (1/16" for #4 Point and 1/8" for #6 Point).

- **Operational Safety:**

- Do not exceed the maximum RPM of 25,000.
- Always secure the workpiece before starting the tool.
- Never attempt to use the mandrels for purposes other than intended.

Instructions for Installation and Usage

1. **Installation:**

- Ensure the tool is powered off and unplugged before installation.
- Insert the mandrel into the tool's chuck securely.
- Tighten the chuck to hold the mandrel firmly in place.

2. **Usage:**

- Power on the tool and allow it to reach the desired RPM before contacting the workpiece.
- Apply light pressure when using the mandrel to avoid damage.
- Monitor the mandrel for any signs of excessive wear or overheating during use.
- If the mandrel shows signs of damage, stop using it immediately and replace it.

3. PostUsage:

- Turn off and unplug the tool after use.
- Clean the mandrels and store them in a safe, dry place.
- Regularly inspect the mandrels for any wear or damage before the next use.

Disposal Instructions

- Dispose of damaged or worn mandrels in accordance with local regulations.
- Do not dispose of mandrels in regular household waste if they contain hazardous materials.
- Consider recycling options where available to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the MANDRELS CRATEX #4 POINT MANDREL (3), please refer to the manufacturer's contact information or your point of purchase for assistance.

By following these safety instructions, you can ensure a safe and effective experience with your MANDRELS CRATEX #4 POINT MANDREL (3). Thank you for prioritizing safety in your work!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk