

1911 'STRONG' FRONT SIGHT

[Handgun Parts](#) > [Sights](#) > [Front Sights](#)

Extra Metal Prevents Front Sight Failure; Fits Novak Dovetail

Heavy duty front sight is over-engineered with the needs of the tactical operator in mind. Plain, black blade incorporates an integral "gusset" of reinforcing metal between the base and the blade for additional strength that helps prevent breakage. Ideal choice for pistols used during room clearing operations or close quarter battle. Fits in the standard Novak-style front dovetail cut. Pre-drilled for vertical roll pin.



Attributes

- Name: [1911 'STRONG' FRONT SIGHT](#)
- Manufacturer: [CYLINDER & SLIDE](#)
- Product no.: 206000044
- Mfr. No.: CS0511
- Color: Black
- Height: .295
- Make: 1911
- Model: Commander, Officers, Government
- Outline: None
- Style: Blank
- Width: .125
- Delivery weight: 0.007kg
- Shipping width: 83mm
- Shipping length: 152mm
- UPC: 000000005111

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 1911 'STRONG' FRONT SIGHT
- About Us

Safety Instruction Guide for 1911 'STRONG' FRONT SIGHT

Introduction

Thank you for choosing the 1911 'STRONG' Front Sight. This product is designed for tactical operators and is engineered to provide enhanced durability and performance. Please read this safety instruction guide carefully to ensure safe use and proper installation of the front sight.

General Safety Guidelines

- Ensure the product is suitable for your firearm model (1911 Government, Commander, Officers).
- Always handle firearms responsibly and follow all local laws and regulations.
- Inspect the front sight for any visible damage before installation. Do not use if damaged.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Use only in conjunction with firearms designed for the 1911 platform.
- Ensure that the firearm is unloaded before installation or adjustment of the front sight.
- Wear appropriate eye protection while handling or installing the front sight.
- Avoid using excessive force during installation to prevent damage to the sight or firearm.
- Do not modify or alter the front sight in any way, as this may compromise safety and performance.

Instructions for Installation and Usage

1. Preparation:

- Ensure your firearm is unloaded and pointed in a safe direction.
- Gather necessary tools: a punch tool for the roll pin and a hammer.

2. Installation:

- Locate the standard Novakstyle front dovetail cut on your firearm.
- Align the front sight with the dovetail cut.
- Carefully insert the sight into the dovetail cut.
- Use the punch tool and hammer to gently tap the predrilled roll pin into place, securing the sight.
- Ensure the sight is firmly in place and aligned properly.

3. PostInstallation:

- After installation, visually inspect the sight for proper alignment.
- Test the firearm in a safe environment to ensure the sight functions as intended.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- If the product is damaged or no longer needed, consider recycling materials where applicable.
- Do not dispose of the product in regular household waste if it contains metal components.

Contact Information for Further Support

For any inquiries regarding safety, installation, or product performance, please refer to the contact information provided on the packaging or product insert.

By following these guidelines, you can help ensure a safe and efficient experience with your 1911 'STRONG' Front Sight. Thank you for prioritizing safety and responsibility in your firearm use.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at