

CLEANING ROD JAGS - DEWEY JAG, 24J FITS .24-.25 CALIBER

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rod Jags](#)

Brass jags are specially designed for use with Dewey Coated Rifle Rods ONLY.
J, Brass jags are the unique Dewey design that take a patch over-the-end, or wrapped around.



Attributes

- Name: [DEWEY JAG, 24J FITS .24-.25 CALIBER](#)
- Manufacturer: [DEWEY](#)
- Product no.: 234800024
- Mfr. No.: 24J
- Caliber: 243 Caliber, 25 Caliber, 6mm
- Delivery weight: 0.009kg
- Shipping height: 4mm
- Shipping width: 68mm
- Shipping length: 76mm
- UPC: 608060200066

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Cleaning Rod Jags Safety Instruction Guide](#)
- [About Us](#)

Cleaning Rod Jags Safety Instruction Guide

Introduction

Thank you for choosing the Dewey Jag Cleaning Rod Jags. This guide provides essential safety instructions and information to ensure the safe and effective use of this product. Please read all sections carefully before use.

General Safety Guidelines

- Ensure the product is used only with Dewey Coated Rifle Rods as specified.
- Always inspect the jags for damage or wear before each use.
- Keep the jags out of reach of children to prevent accidental injury.
- Report any unsafe products or incidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use only with compatible calibers: .243 Caliber, 6mm, and .25 Caliber.
- Do not use the jags with any other cleaning rods except Dewey Coated Rifle Rods.
- Avoid using excessive force when cleaning to prevent damage to the jag or rod.
- Always wear appropriate eye protection when cleaning firearms.
- Ensure the firearm is unloaded before cleaning.
- Follow all local laws and regulations regarding firearm maintenance and cleaning.

Instructions for Installation and Usage

1. Installation:

- Select the appropriate Dewey Jag for your caliber.
- Firmly attach the jag to the end of the Dewey Coated Rifle Rod.
- Ensure the connection is secure before use.

2. Usage:

- Insert a cleaning patch over the end of the jag or wrap it around the jag.
- Insert the jag into the barrel of the firearm carefully.
- Rotate the rod gently while pulling it through the barrel to clean effectively.
- Repeat the process as needed, using fresh cleaning patches.

3. PostUse:

- After cleaning, remove the jag from the rod.
- Clean the jag with a suitable solvent to remove any residue.
- Store the jag in a dry place away from moisture.

Disposal Instructions

- Dispose of any damaged or worn jags in accordance with local waste disposal regulations.
- Do not throw jags in regular household waste if they are made of brass; check for recycling options.

Contact Information for Further Support

For any safety inquiries or further assistance, please refer to the manufacturer's website or customer service resources.

Thank you for prioritizing safety while using the Dewey Jag Cleaning Rod Jags. Your attention to these guidelines helps ensure a safe and effective cleaning experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk