

RUGER® 10/22® PICATINNY SCOPE MOUNTS - SCOPE MOUNT RAIL, .500"

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

Picatinny Rails For Ruger~ 10/22~ Rifles

Tough, lightweight aluminum rails feature Picatinny slot spacing for fast, simple changes to eye relief, plus greater flexibility in scope choice. Three height choices fit various objective sizes, or improve cheek weld. Extends over the barrel, or can be reversed to better position optics with shorter eye-relief. Uses the factory-drilled scope base holes, with no permanent alteration to your rifle.



Attributes

- Name: [SCOPE MOUNT RAIL, .500"](#)
- Manufacturer: [DLASK ARMS](#)
- Product no.: 253000004
- Mfr. No.: RUG 08
- Color: Black
- Elevation: 0 MOA
- Make: Ruger
- Material: Aluminum
- Model: 10/22
- Number of Bases: 1-Piece
- Style: Picatinny
- Delivery weight: 0.068kg
- Shipping height: 15mm
- Shipping width: 76mm
- Shipping length: 231mm

Table of Contents

- [Startpage](#)
- [RUGER® 10/22® Picatinny Scope Mounts Safety Instruction Guide](#)
- [About Us](#)

RUGER® 10/22® Picatinny Scope Mounts Safety Instruction Guide

Introduction

Thank you for choosing the RUGER® 10/22® Picatinny Scope Mount Rail. This guide provides important safety instructions and usage guidelines to ensure the safe operation and installation of your scope mount. Please read and understand all instructions carefully before use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Keep the scope mount and all related components out of reach of children and vulnerable individuals.
- Regularly inspect the scope mount for signs of wear or damage before each use.
- If you notice any defects or issues, do not use the product and contact a qualified professional for assistance.
- Always follow local laws and regulations regarding the use of firearms and accessories.

Specific Safety Precautions for Use

- Use only recommended scopes and accessories that are compatible with the RUGER® 10/22® Picatinny Scope Mount.
- Ensure that the scope mount is securely attached to the rifle before use.
- Avoid overtightening screws or bolts during installation, as this may damage the mount or the rifle.
- Do not use the scope mount if it has been modified or altered in any way.
- Always handle firearms safely and responsibly, following basic firearm safety rules.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including a screwdriver and any other required installation tools.
- Ensure that the rifle is unloaded and pointed in a safe direction.

2. Installation

- Locate the factorydrilled scope base holes on your RUGER® 10/22® rifle.
- Align the Picatinny scope mount with the holes, ensuring that it is positioned correctly.
- Secure the scope mount using the provided screws, tightening them evenly to avoid misalignment.
- Check that the mount is stable and does not move when pressure is applied.

3. Usage

- Once installed, attach your chosen scope to the Picatinny rail, following the manufacturer's instructions for that specific scope.
- Adjust the scope to achieve the desired eye relief and ensure a proper cheek weld.
- Test the setup at a safe shooting range to ensure accuracy and stability before regular use.

Disposal Instructions

- Dispose of the scope mount and any packaging materials in accordance with local waste disposal regulations.
- Do not dispose of the product in household waste. Instead, consider recycling options where available.

Contact Information for Further Support

For any inquiries or concerns regarding the RUGER® 10/22® Picatinny Scope Mount, please refer to the manufacturer's website or contact a qualified dealer for assistance.

By following these safety instructions, you can enjoy the benefits of your RUGER® 10/22® Picatinny Scope Mount while ensuring a safe and responsible experience. Thank you for your attention to safety.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at