

# HEAVY-DUTY EMERY CUT-OFF WHEEL - DREMEL #420 CUT-OFF WHEELS

[Gunsmith Tools](#) > [Power Tools & Accessories](#) > [Cut-Off Wheels](#)

## Make The Most Of Your Hand-Held Tool

.040" (1mm) thick for wider slotting, less breakage, longer service life. 15/16" (24mm) diameter. Sold in pak of 20.



## Attributes

- Name: [DREMEL #420 CUT-OFF WHEELS](#)
- Manufacturer: [DREMEL](#)
- Product no.: 257400420
- Mfr. No.: 5000420
- Delivery weight: 0.032kg
- Shipping height: 5mm
- Shipping width: 46mm
- Shipping length: 81mm
- UPC: 080596004200

# Table of Contents

- Startpage
- Safety Instruction Guide for HeavyDuty Emery CutOff Wheel Dremel #420
- About Us

# Safety Instruction Guide for HeavyDuty Emery CutOff Wheel Dremel #420

## Introduction

Thank you for choosing the HeavyDuty Emery CutOff Wheel Dremel #420. This guide provides essential safety instructions to ensure the safe use of this product. It is important to follow these guidelines to minimize risks and enhance your experience.

## General Safety Guidelines

- Always use the cutoff wheel in accordance with the manufacturer's instructions.
- Ensure that the tool is suitable for the intended use of the cutoff wheel.
- Keep the work area clean and welllit to avoid accidents.
- Wear appropriate personal protective equipment (PPE), including safety goggles, gloves, and a dust mask.
- Keep children and pets away from the work area during use.
- Do not use the cutoff wheel for purposes other than those specified by the manufacturer.
- Regularly inspect the cutoff wheel for any signs of wear or damage before use.
- Report any unsafe products or incidents to the relevant authorities.

## Specific Safety Precautions for Use

- Ensure that the cutoff wheel is securely attached to the tool before use.
- Do not exceed the maximum RPM rating of the cutoff wheel.
- Avoid applying excessive pressure while cutting; let the tool do the work.
- Do not attempt to cut materials that are not recommended for use with this product.
- Always maintain a firm grip on the tool while in operation.
- If the wheel becomes jammed, turn off the tool and disconnect it before attempting to clear the obstruction.
- In case of overheating, allow the cutoff wheel to cool down before further use.

## Instructions for Installation and Usage

### 1. Installation:

- Turn off and unplug the tool before installation.
- Remove the existing cutoff wheel if applicable.
- Attach the HeavyDuty Emery CutOff Wheel Dremel #420 securely to the tool, ensuring it is properly aligned.
- Tighten the attachment mechanism according to the manufacturer's specifications.

### 2. Usage:

- Plug in the tool and turn it on.
- Position the material securely on a stable surface.
- Begin cutting at a slow speed, gradually increasing as needed.
- Maintain a consistent motion and do not force the cutoff wheel through the material.
- After use, turn off and unplug the tool before cleaning or changing accessories.

## **Disposal Instructions**

- Dispose of the cutoff wheel in accordance with local regulations.
- Do not dispose of the cutoff wheel in regular household waste.
- Check with local waste management facilities for proper disposal methods.

## **Contact Information for Further Support**

For any questions or concerns regarding the HeavyDuty Emery CutOff Wheel Dremel #420, please refer to the manufacturer's contact information included in the product packaging or visit the manufacturer's website for additional resources.

By following these safety instructions, you can ensure a safe and efficient experience with your HeavyDuty Emery CutOff Wheel Dremel #420. Thank you for your attention to safety!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)