

KIMBER FIBER OPTIC FRONT SIGHT - EGW KIMBER SIGHT, HEIGHT .150"

[Handgun Parts](#) > [Sights](#) > [Front Sights](#)

Interchangeable, red or green fiber optic insert glows bright; draws your eye to the sight for faster pickup and improved shooting performance. Open center improves light transmission for a brighter, easier to see, dot. Works well with ghost ring, express, or square notch rear sights. Three heights accommodate most installation requirements. Kimber replace factory height blades. Fits factory dovetails.



Attributes

- Name: [EGW KIMBER SIGHT, HEIGHT .150"](#)
- Manufacturer: [EGW](#)
- Product no.: 296000004
- Mfr. No.: 15021
- Colour: Green/Red
- Height: .150
- Model: Universal Handguns
- Outline: None
- Style: Fiber Optic
- Weapon type: Kimber
- Width: .125
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 841370104017

Item details

Made in USA

Table of Contents

- Startpage
- KIMBER FIBER OPTIC FRONT SIGHT Safety Instruction Guide
- About Us

KIMBER FIBER OPTIC FRONT SIGHT Safety Instruction Guide

Introduction

Thank you for choosing the KIMBER FIBER OPTIC FRONT SIGHT by EGW. This guide provides essential safety instructions to ensure safe and effective use of your new sight. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure you are familiar with your firearm's operation and safety features before using the KIMBER FIBER OPTIC FRONT SIGHT.
- Always handle firearms with care, following the basic rules of firearm safety.
- Keep the sight and all firearm accessories out of reach of children and unauthorized users.
- Regularly inspect the sight for any damage or wear. Do not use if damaged.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use only with compatible firearms as specified in the product details.
- Do not attempt to modify the sight or install it in a manner not recommended by the manufacturer.
- Always ensure the firearm is unloaded before installing or adjusting the sight.
- Avoid using the sight in extreme weather conditions that may impair visibility or performance.
- Be aware of your surroundings and ensure a safe shooting environment when using the firearm.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools for installation, such as a screwdriver.

2. Installation:

- Remove the existing factory sight from your firearm.
- Align the KIMBER FIBER OPTIC FRONT SIGHT with the factory dovetail.
- Gently tap the sight into place using a nonmarring tool to avoid damage.
- Ensure the sight is securely installed and in the correct orientation.

3. Adjustment:

- Test the sight alignment by aiming at a target.
- Make necessary adjustments to ensure proper sight picture and alignment.
- Confirm that the fiber optic insert is properly seated and secure.

4. Usage:

- When aiming, focus on the fiber optic insert to enhance visibility and shooting performance.
- Practice regularly to become familiar with the sight and improve accuracy.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the sight in household waste. Instead, contact local waste management for proper disposal methods.

Contact Information for Further Support

For safety inquiries or additional support, please refer to the contact information provided by the retailer or manufacturer upon purchase.

Thank you for prioritizing safety while enjoying your shooting experience with the KIMBER FIBER OPTIC FRONT SIGHT.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk