

# REMINGTON 700, 721, 725 LONG ACTION STEEL HD SCOPE BASES - REM 700, 721, 725 LONG ACTION 20 MOA STEEL

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

EGW Remington 700, 722, 40X Long Action Heavy Duty Steel Scope Bases. Add the versatility of a one-piece Picatinny scope rail to your shotgun with no drilling or tapping. Precision machined from hardened steel with Picatinny slot-and-rail spacing that allows fast and simple changes to eye relief, plus great flexibility in scope choice. Drilled to fit the factory scope mount holes on the gun's receiver. Accepts Picatinny or Weaver scope rings. Heavy Duty (HD) mounts are .100" lower than the Lightweight mounts to minimize weight and keep your optic closer to the barrel centerline for improved accuracy. Full-width cross-slots are gauged to MIL-STD 1913 specs to +/- .002". Machined from ultra-rigid 4140 carbon steel pre-hardened to Rc 35-35 before machining. Includes socket head Torx® screws and wrench. EGW recommends 20 inch lbs of torque and a drip of blue loctite.



## Attributes

- Name: [REM 700, 721, 725 LONG ACTION 20 MOA STEEL](#)
- Manufacturer: [EGW](#)
- Product no.: 296000159
- Mfr. No.: 86102
- Action Type: Bolt Action
- Color: Black
- Elevation: 20 MOA
- Make: Remington
- Material: Steel
- Model: 700
- Number of Bases: 1-Piece
- Style: Picatinny Rail
- Delivery weight: 0.113kg
- Shipping height: 20mm
- Shipping width: 97mm
- Shipping length: 226mm
- UPC: 841370109579

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for REMINGTON 700, 721, 725 LONG ACTION STEEL HD SCOPE BASES
- About Us

# Safety Instruction Guide for REMINGTON 700, 721, 725 LONG ACTION STEEL HD SCOPE BASES

## Introduction

Thank you for choosing the REMINGTON 700, 721, 725 LONG ACTION STEEL HD SCOPE BASES. This guide is designed to provide you with important safety information and instructions for the proper use and installation of your product. Please read this guide carefully to ensure safe operation and to maximize the performance of your scope bases.

## General Safety Guidelines

- **Product Safety:** Ensure safe use of the scope bases by following all instructions provided. This product is designed for use with firearms and should be handled with care.
- **Enhanced Recalls:** Stay informed about any recalls or safety notices related to this product. Check the EU Safety Gate platform for updates.
- **Online Shopping:** If purchased online, ensure that the retailer complies with safety regulations similar to those of physical stores.
- **Special Consumer Focus:** This product is intended for adult use only. Keep out of reach of children and vulnerable individuals.
- **EU Contact Point:** For any safety inquiries, please refer to the contact information provided by your retailer or manufacturer.
- **Rapid Alerts:** Be aware of the Safety Gate system, which provides updates on unsafe products.

## Specific Safety Precautions for Use

- Always ensure that the firearm is unloaded before installation or maintenance of the scope bases.
- Wear appropriate eye protection when handling tools and during installation.
- Do not modify the scope bases or attempt to use them in a manner not specified in this guide.
- Ensure that all screws are tightened to the recommended torque specifications to avoid loosening during use.
- Regularly inspect the scope bases for signs of wear or damage. Replace if any defects are found.
- Use only compatible Picatinny or Weaver scope rings with the scope bases.
- Be cautious when adjusting the scope to maintain proper eye relief.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather all necessary tools, including a socket head Torx® wrench.
- Ensure the firearm is completely unloaded and pointed in a safe direction.

### 2. Installation:

- Align the scope bases with the factory scope mount holes on the receiver of the firearm.
- Use the provided socket head Torx® screws to secure the bases to the receiver.
- Tighten each screw to a torque of 20 inch lbs. Use a drip of blue loctite on each screw to prevent loosening.

### 3. Adjustment:

- After installation, mount your scope onto the bases.
- Adjust the scope to your desired eye relief. The Picatinny slotandrail spacing allows for quick

adjustments.

#### **4. Final Check:**

- Ensure that all screws are securely tightened and that the scope is properly mounted.
- Perform a function check of the firearm to ensure everything is operating correctly.

## **Disposal Instructions**

- Dispose of any packaging materials responsibly, following local recycling guidelines.
- If the product is no longer in use or is damaged beyond repair, dispose of it in accordance with local regulations for metal and electronic waste.

## **Contact Information for Further Support**

For any questions or concerns regarding the REMINGTON 700, 721, 725 LONG ACTION STEEL HD SCOPE BASES, please consult your retailer or manufacturer for assistance and support.

By following these safety instructions and guidelines, you can ensure a safe and effective experience with your scope bases. Thank you for your attention to safety, and enjoy your shooting experience!

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)