

HD BALL HEAD DISCONNECTOR - EGW HD BALL HEAD DISCONNECTOR

[Handgun Parts](#) > [Trigger Group Parts](#) > [Disconnecter Parts](#) > [Disconnectors](#)

EGW's 1911 HD Ball Head Disconnector installs to tighten tolerances in your 1911. The top of the disconnector is taller so that it does not drag on the sear pin. This is important when you are doing trigger work under 2 1/4 lbs. since you can feel the slightest drag. The ball head has been designed to get rid of the click usually found on 1911s caused by the head moving back and forth in the frame hole. The geometry of the disconnector has been altered so that it is not tripped when inserting a loaded magazine. The bottom spade incorporates a small .006 corner radius so that the disconnector does not dig into the trigger bow and it improves functionality.



Attributes

- Name: [EGW HD BALL HEAD DISCONNECTOR](#)
- Manufacturer: [EGW](#)
- Product no.: 296000207
- Mfr. No.: 10050
- Model: Commander, Government, Officers
- Weapon type: 1911
- Delivery weight: 0.068kg
- Shipping width: 76mm
- Shipping length: 128mm
- UPC: 841370100354

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- Safety Instruction Guide for HD Ball Head Disconnectors
- About Us

Safety Instruction Guide for HD Ball Head Disconnector

Introduction

Thank you for choosing the EGW HD Ball Head Disconnector for your 1911 firearm. This product is designed to enhance the performance of your firearm while ensuring safety during use. Please read this safety instruction guide carefully to ensure the safe installation and operation of the disconnector.

General Safety Guidelines

- Always handle firearms with care and follow all firearm safety rules.
- Ensure that the firearm is unloaded before installing or handling the disconnector.
- Use personal protective equipment, such as safety glasses, when working on firearms.
- Keep the disconnector and all firearm components out of reach of children and unauthorized users.
- Regularly inspect the disconnector and other firearm parts for wear or damage.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that the disconnector is compatible with your specific 1911 model (Government, Commander, Officers).
- Do not attempt to modify the disconnector or any other firearm component unless you are a qualified gunsmith.
- Avoid using the disconnector if it shows any signs of damage or wear.
- Be aware of the trigger pull weight; the disconnector is designed for use under 2 1/4 lbs trigger work.
- Ensure that the disconnector is properly installed before using the firearm.

Instructions for Installation and Usage

1. Preparation:

- Ensure that your firearm is completely unloaded.
- Gather necessary tools: screwdriver, punch, and any other tools recommended for disconnector installation.

2. Installation Steps:

- Remove the existing disconnector from your 1911 by following the manufacturer's instructions.
- Carefully install the EGW HD Ball Head Disconnector by aligning it with the sear pin and ensuring it does not drag.
- Ensure that the ball head fits properly within the frame hole to eliminate any unwanted clicking sounds.
- Check that the geometry of the disconnector is correct and that it does not trip when inserting a loaded magazine.
- Verify that the bottom spade of the disconnector does not dig into the trigger bow.

3. PostInstallation Check:

- After installation, conduct a function check to ensure that the disconnector operates correctly.
- Test the trigger function without ammunition to ensure smooth operation.

4. Usage:

- Always ensure that the firearm is pointed in a safe direction when handling.
- Practice safe handling and shooting techniques at all times.
- Be aware of the trigger pull weight and adjust your handling accordingly.

Disposal Instructions

- Dispose of the disconnector according to local regulations regarding metal and firearm components.
- Do not dispose of the disconnector in regular household waste.
- Contact local recycling centers or firearm dealers for proper disposal methods.

Contact Information for Further Support

For any inquiries or support regarding the HD Ball Head Disconnector, please refer to the manufacturer's contact information provided with the product or visit their official website.

Thank you for your attention to these safety guidelines. Your safety and the safety of others is paramount. Enjoy your enhanced shooting experience with the EGW HD Ball Head Disconnector!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk