

REMINGTON 700, 722, 40X SHORT ACTION SCOPE BASES - EGW

REM 700, 722, 40X SHORT ACTION 20 MOA

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

No Frills Accuracy Enhancement For Popular Rifles

EGW Remington 700, 722, 40X Short Action Scope Bases. Add the versatility of a one-piece Picatinny scope rail to your shotgun with no drilling or tapping. Precision machined from extruded aluminum with Picatinny slot-and-rail spacing that allows fast and simple changes to eye relief, plus great flexibility in scope choice. Drilled to fit the factory scope mount holes on the gun's receiver. Accepts Picatinny or Weaver scope rings. Lightweight Tactical mounts have a milled center channel for weight reduction. Full-width cross-slots are gauged to MIL-STD 1913 specs to ± 0.002 ". Machined from ultra-rigid, extruded 6061 T6 aluminum. Includes socket head Torx® screws and wrench. EGW recommends 20 inch lbs of torque and a drip of blue loctite for mounting.



Attributes

- Name: [EGW REM 700, 722, 40X SHORT ACTION 20 MOA](#)
- Manufacturer: [EGW](#)
- Product no.: 296000210
- Mfr. No.: 40002
- Action Type: Bolt Action
- Colour: Black
- Elevation: 20 MOA
- Material: Aluminum
- Model: 700
- Number of Bases: 1-Piece
- Style: Picatinny Rail
- Weapon type: Remington
- Delivery weight: 0.181kg
- Shipping height: 22mm
- Shipping width: 84mm
- Shipping length: 208mm
- UPC: 841370104994

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for REMINGTON 700, 722, 40X SHORT ACTION SCOPE BASES](#)
- [About Us](#)

Safety Instruction Guide for REMINGTON 700, 722, 40X SHORT ACTION SCOPE BASES

Introduction

Thank you for choosing the EGW Remington 700, 722, 40X Short Action Scope Bases. This guide provides important safety information and instructions for the proper use and installation of your scope bases. Please read this manual carefully to ensure safe and effective operation.

General Safety Guidelines

- Always ensure that the firearm is unloaded before installing or adjusting the scope bases.
- Inspect the scope bases for any damage before installation. Do not use if damaged.
- Follow all local laws and regulations regarding firearm modifications and usage.
- Ensure that all installation and usage are performed in a safe environment, away from unauthorized individuals, especially children.
- Use proper tools and equipment when installing the scope bases to avoid injury or damage.
- Regularly check the scope bases for tightness and security during use.

Specific Safety Precautions for Use

- Ensure that the scope rings used with the Picatinny rail are compatible with both the rail and your scope.
- Avoid overtightening screws during installation; follow the recommended torque specifications.
- Use blue Loctite on screws to prevent loosening due to recoil but ensure it is applied correctly.
- Do not modify the scope bases in any way, as this may compromise safety and performance.
- Always wear appropriate eye protection when using firearms equipped with mounted scopes.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a Torx® wrench and blue Loctite.
- Ensure your firearm is unloaded and in a safe condition.

2. Installation:

- Align the scope base with the factory scope mount holes on the receiver of the firearm.
- Insert the socket head Torx® screws through the base into the mount holes.
- Tighten the screws gradually, alternating between them to ensure even pressure.
- Use a torque wrench to tighten the screws to 20 inch lbs. This ensures a secure fit without overtightening.
- Apply a small drop of blue Loctite to each screw to secure them in place.

3. Usage:

- Once installed, mount your scope to the Picatinny rail using compatible scope rings.
- Adjust the eye relief and position of the scope as needed for optimal viewing.
- Regularly check the tightness of the screws and the stability of the scope during use.

Disposal Instructions

- Dispose of any packaging materials responsibly, following local recycling guidelines.
- If the scope bases are no longer needed or are damaged beyond repair, consult local regulations for

proper disposal methods for metal and plastic materials.

Contact Information for Further Support

For any safety inquiries or further assistance regarding the EGW Remington 700, 722, 40X Short Action Scope Bases, please reach out to the appropriate contact point as specified by the manufacturer.

By following these guidelines, you can ensure the safe and effective use of your scope bases. Thank you for prioritizing safety while enjoying your shooting experiences.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk