

# GI BUSHING GUNSMITH FIT - EGW .699 GI BUSHING GUNSMITH FIT BLUE

[Handgun Parts](#) > [Barrel Parts](#) > [Barrel Bushings](#)

The flange thickness is .92" which is the standard GI spec.



## Attributes

- Name: [EGW .699 GI BUSHING GUNSMITH FIT BLUE](#)
- Manufacturer: [EGW](#)
- Product no.: 296000530
- Mfr. No.: 14532
- Finish: Blue
- Style: Gunsmith Fit
- Weapon type: 1911
- Delivery weight: 0.016kg
- Shipping height: 19mm
- Shipping width: 76mm
- Shipping length: 114mm
- UPC: 841370116089

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for GI BUSHING GUNSMITH FIT EGW .699
- About Us

# Safety Instruction Guide for GI BUSHING GUNSMITH FIT EGW .699

## Introduction

Thank you for choosing the GI BUSHING GUNSMITH FIT EGW .699. This guide provides essential safety instructions and guidelines to ensure safe and effective use of this product. Please read this document carefully before using the bushing to understand its features and safety requirements.

## General Safety Guidelines

- Ensure that the product is used only for its intended purpose as specified by the manufacturer.
- Always wear appropriate safety gear, including eye protection, when handling or installing the bushing.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the bushing for wear or damage before use.
- Do not attempt to modify or alter the product in any way.

## Specific Safety Precautions for Use

- Use the bushing only with compatible 1911 models to prevent malfunction or injury.
- Ensure that the flange thickness of .92" is suitable for your firearm model.
- Do not use excessive force when installing or removing the bushing to avoid damaging the firearm or the bushing itself.
- If you experience any issues during installation or use, discontinue use immediately and consult a qualified gunsmith.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools for installation, such as a bushing wrench.

### 2. Installation:

- Align the bushing with the barrel and slide of the firearm.
- Carefully twist the bushing into place using the bushing wrench.
- Ensure the bushing is snug but not overly tight.

### 3. Usage:

- After installation, conduct a function check of the firearm to ensure proper operation.
- Store the firearm in a safe place when not in use.

### 4. Maintenance:

- Regularly clean the bushing and surrounding areas to prevent buildup of debris.
- Inspect the bushing periodically for signs of wear or damage.

## Disposal Instructions

- Dispose of the bushing in accordance with local regulations for metal products.
- Do not dispose of the product in household waste. Instead, consider recycling options where available.

## **Contact Information for Further Support**

For any questions or concerns regarding the GI BUSHING GUNSMITH FIT EGW .699, please reach out to the manufacturer or authorized dealer for assistance. They can provide further support and guidance on safe usage and maintenance.

Thank you for your attention to these safety instructions. Your safety is our priority.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)