

# SIG SAUER P210A VORTEX RAZOR SIGHT MOUNT - EGW SIG SAUER P210A VORTEX RAZOR SIGHT MOUNT

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Handgun Bases](#)

Material: 7075 Aluminum Coating: Matte Black Hardcoat Overall Length: 1.831" Overall Width: 1.062" Mounting Hardware: (2) 8-32 Button Head Screws, (1) 8-32 Set Screw) Red Dot Fitment: Vortex Razor, C-More RTS & STS Simply remove the rear sight on your gun and replace it with our mount in order to mount your Vortex Razor, C-More RTS or STS red-dot sight. No alterations are required. You can take our mount off and replace your rear sight at any time. Mounting hardware included. Installation Instructions Remove the rear sight\* Install the EGW Sight Mount in the dovetail Tighten set screw (if applicable) Place the red dot sight on the EGW Sight Mount (placing a small piece of paper between the red dot sight and the sight mount will make for easier removal and will keep Loctite off of the red dot sight.) Apply blue Loctite to the provided mounting screws Torque mounting screws to 15in/lbs



## Attributes

- Name: [EGW SIG SAUER P210A VORTEX RAZOR SIGHT MOUNT](#)
- Manufacturer: [EGW](#)
- Product no.: 296000552
- Mfr. No.: 49457
- Colour: Black
- Material: Aluminum
- Model: P210A
- Number of Bases: 1-Piece
- Style: Tactical
- Weapon type: Sig Sauer
- Delivery weight: 0.034kg
- Shipping height: 25mm
- Shipping width: 89mm
- Shipping length: 140mm
- UPC: 841370116690

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for SIG SAUER P210A VORTEX RAZOR SIGHT MOUNT
- About Us

# Safety Instruction Guide for SIG SAUER P210A VORTEX RAZOR SIGHT MOUNT

## Introduction

Thank you for choosing the SIG SAUER P210A Vortex Razor Sight Mount by EGW. This guide provides essential safety instructions, installation procedures, and usage tips to ensure the safe and effective operation of your sight mount. Please read this document carefully before use.

## General Safety Guidelines

- **Product Safety:** Ensure safe use of the sight mount by following all instructions in this guide. This product complies with EU safety regulations.
- **Enhanced Recalls:** Be aware of any recall notices regarding this product. If a recall occurs, follow the provided instructions for remedies.
- **Online Shopping:** If purchased online, ensure that the retailer meets safety regulations similar to those of physical stores.
- **Special Consumer Focus:** This product is not intended for use by children. Keep it out of reach of minors.
- **EU Contact Point:** For safety inquiries, consult the manufacturer or retailer from whom you purchased the product.
- **Rapid Alerts:** Stay informed about any safety updates or recalls through the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- **Inspection:** Before installation, inspect the sight mount for any signs of damage or defects. Do not use if damaged.
- **Compatibility:** Ensure that the sight mount is compatible with your firearm model. This mount is designed specifically for the SIG SAUER P210A.
- **Proper Handling:** Always handle the sight mount and your firearm with care. Follow all firearm safety rules.
- **Secure Installation:** Ensure that the mount is securely installed before use. Loose mounts can lead to accidents.
- **Avoid Modifications:** Do not modify the sight mount or firearm. Modifications may compromise safety and performance.
- **Use of Tools:** Use appropriate tools for installation. Follow torque specifications to avoid overtightening.

## Instructions for Installation and Usage

### 1. Remove the Rear Sight:

- Carefully remove the rear sight from your SIG SAUER P210A.

### 2. Install the EGW Sight Mount:

- Place the EGW Sight Mount in the dovetail of your firearm.
- Tighten the set screw (if applicable) to secure the mount.

### 3. Mount the Red Dot Sight:

- Place the Vortex Razor, CMore RTS, or STS red dot sight on the EGW Sight Mount.
- For easier removal, place a small piece of paper between the red dot sight and the mount to prevent Loctite from adhering to the sight.

#### **4. Apply Loctite:**

- Apply blue Loctite to the provided mounting screws to ensure a secure fit.

#### **5. Torque the Screws:**

- Torque the mounting screws to 15 in/lbs to ensure proper installation.

#### **6. Final Check:**

- After installation, doublecheck all screws and the tightness of the mount before using the firearm.

## **Disposal Instructions**

- Dispose of any packaging materials in accordance with local regulations.
- If the sight mount becomes damaged beyond repair, dispose of it in a manner that complies with local electronic waste disposal guidelines.

## **Contact Information for Further Support**

For any questions or concerns regarding the SIG SAUER P210A Vortex Razor Sight Mount, please reach out to the retailer where you purchased the product or consult the manufacturer's website for additional support.

By following this safety instruction guide, you can ensure the safe use and longevity of your SIG SAUER P210A Vortex Razor Sight Mount. Always prioritize safety and responsible handling of your firearm and accessories.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)