

S&W 1911 ADJUSTABLE VORTEX RAZOR SIGHT MOUNT - EGW S&W 1911 ADJUSTABLE VORTEX RAZOR SIGHT MOUNT

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Handgun Bases](#)

Material: 7075 Aluminum Coating: Matte Black Hardcoat Overall Length: 1.831" Overall Width: 1.062" Mounting Hardware: (2) 8-32 Button Head Screws, (1) 8-32 Set Screw) Red Dot Fitment: Vortex Razor, C-More RTS & STS Simply remove the rear sight on your gun and replace it with our mount in order to mount your Vortex Razor, C-More RTS or STS red-dot sight. No alterations are required. You can take our mount off and replace your rear sight at any time. Mounting hardware included. Installation Instructions Remove the rear sight* Install the EGW Sight Mount in the dovetail Tighten set screw (if applicable) Place the red dot sight on the EGW Sight Mount (placing a small piece of paper between the red dot sight and the sight mount will make for easier removal and will keep Loctite off of the red dot sight.) Apply blue Loctite to the provided mounting screws Torque mounting screws to 15in/lbs



Attributes

- Name: [EGW S&W 1911 ADJUSTABLE VORTEX RAZOR SIGHT MOUNT](#)
- Manufacturer: [EGW](#)
- Product no.: 296000555
- Mfr. No.: 49460
- Colour: Black
- Material: Aluminum
- Model: 1911
- Number of Bases: 1-Piece
- Style: Tactical
- Weapon type: Smith & Wesson
- Delivery weight: 0.041kg
- Shipping height: 25mm
- Shipping width: 89mm
- Shipping length: 140mm
- UPC: 841370116904

Item details

Made in USA

Table of Contents

- Startpage
- S&W 1911 Adjustable Vortex Razor Sight Mount Safety Instruction Guide
- About Us

S&W 1911 Adjustable Vortex Razor Sight Mount Safety Instruction Guide

Introduction

Thank you for purchasing the S&W 1911 Adjustable Vortex Razor Sight Mount. This guide provides essential safety information, installation instructions, and care guidelines to ensure safe and effective use of your product. Please read this guide carefully before use.

General Safety Guidelines

- Ensure that the product is used in accordance with the manufacturer's instructions.
- Always handle firearms with care and follow all safety protocols related to firearms.
- Inspect the sight mount before each use to ensure it is secure and free from damage.
- Only use the sight mount with compatible red dot sights as specified in the product description.
- Keep the product and all related components out of reach of children and unauthorized users.
- Report any unsafe conditions or accidents involving this product to the appropriate authorities.

Specific Safety Precautions for Use

- Do not attempt to modify the sight mount or its components in any way. Unauthorized modifications may compromise safety and performance.
- Ensure that the firearm is unloaded before removing or installing the sight mount.
- Use only the provided mounting hardware to secure the sight mount. Using other hardware may result in improper installation and potential hazards.
- If you experience any difficulty during installation or use, cease use immediately and seek assistance.

Instructions for Installation and Usage

1. Remove the Rear Sight

- Ensure that the firearm is unloaded.
- Carefully remove the existing rear sight from your S&W 1911.

2. Install the EGW Sight Mount

- Place the EGW Sight Mount into the dovetail.
- Ensure it is positioned correctly and securely.

3. Tighten Set Screw (If Applicable)

- If your mount includes a set screw, tighten it to ensure a secure fit.

4. Place the Red Dot Sight

- Position your Vortex Razor, CMore RTS, or STS red dot sight on the EGW Sight Mount.
- To facilitate easier removal and prevent Loctite from sticking to the sight, place a small piece of paper between the red dot sight and the sight mount.

5. Apply Blue Loctite

- Apply blue Loctite to the provided mounting screws to secure the sight in place.

6. Torque Mounting Screws

- Using a torque wrench, tighten the mounting screws to a torque setting of 15 in/lbs.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding electronic waste and metal recycling.
- Ensure that all components are disposed of safely to prevent environmental harm.

Contact Information for Further Support

For any questions or concerns regarding the S&W 1911 Adjustable Vortex Razor Sight Mount, please refer to the manufacturer's website or contact their customer support team. Ensure you have your product details ready for assistance.

By following these guidelines and instructions, you can ensure the safe and effective use of your S&W 1911 Adjustable Vortex Razor Sight Mount. Thank you for prioritizing safety in your firearm practices.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk