

S&W MODEL 52 VORTEX RAZOR SIGHT MOUNT - EGW S&W MODEL 52 VORTEX RAZOR SIGHT MOUNT

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Handgun Bases](#)

Material: 7075 Aluminum Coating: Matte Black Hardcoat Overall Length: 1.831" Overall Width: 1.062" Mounting Hardware: (2) 8-32 Button Head Screws, (1) 8-32 Set Screw) Red Dot Fitment: Vortex Razor, C-More RTS & STS Simply remove the rear sight on your gun and replace it with our mount in order to mount your Vortex Razor, C-More RTS or STS red-dot sight. No alterations are required. You can take our mount off and replace your rear sight at any time. Mounting hardware included. Installation Instructions Remove the rear sight* Install the EGW Sight Mount in the dovetail Tighten set screw (if applicable) Place the red dot sight on the EGW Sight Mount (placing a small piece of paper between the red dot sight and the sight mount will make for easier removal and will keep Loctite off of the red dot sight.) Apply blue Loctite to the provided mounting screws Torque mounting screws to 15in/lbs



Attributes

- Name: [EGW S&W MODEL 52 VORTEX RAZOR SIGHT MOUNT](#)
- Manufacturer: [EGW](#)
- Product no.: 296000559
- Mfr. No.: 49464
- Colour: Black
- Material: Aluminum
- Model: 52
- Number of Bases: 1-Piece
- Style: Tactical
- Weapon type: Smith & Wesson
- Delivery weight: 0.045kg
- Shipping height: 25mm
- Shipping width: 76mm
- Shipping length: 140mm
- UPC: 841370117062

Item details

Made in USA

Table of Contents

- Startpage
- S&W MODEL 52 VORTEX RAZOR SIGHT MOUNT Safety Instruction Guide
- About Us

S&W MODEL 52 VORTEX RAZOR SIGHT MOUNT Safety Instruction Guide

Introduction

Thank you for choosing the S&W Model 52 Vortex Razor Sight Mount. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your product. Please read this document carefully to understand how to use the sight mount properly and safely.

General Safety Guidelines

- Ensure that the sight mount is compatible with your firearm before installation.
- Always handle firearms with care and follow all local laws and regulations regarding firearm safety.
- Inspect the sight mount and mounting hardware for any damage before use. Do not use if damaged.
- Keep the sight mount and all related components out of reach of children and unauthorized users.
- If you experience any issues with the sight mount, cease use immediately and consult with a professional.

Specific Safety Precautions for Use

- Only use the sight mount with compatible red dot sights, specifically Vortex Razor, CMore RTS, and STS.
- Do not attempt to modify the sight mount or any of its components.
- Ensure that the set screw is tightened appropriately to avoid any movement of the sight during use.
- When applying blue Loctite, avoid direct contact with the red dot sight to prevent damage.
- Always ensure that the firearm is unloaded before installing or removing the sight mount.

Instructions for Installation and Usage

1. Remove the Rear Sight

- Ensure the firearm is unloaded.
- Carefully remove the existing rear sight from your firearm.

2. Install the EGW Sight Mount

- Place the EGW Sight Mount into the dovetail of your firearm.
- Ensure it is seated properly.

3. Tighten Set Screw (if applicable)

- Use an appropriate tool to tighten the set screw securely.

4. Place the Red Dot Sight

- Position the red dot sight on the EGW Sight Mount.
- For easier removal, place a small piece of paper between the red dot sight and the sight mount.

5. Apply Blue Loctite

- Apply blue Loctite to the provided mounting screws to secure them in place.

6. Torque Mounting Screws

- Use a torque wrench to tighten the mounting screws to 15 in/lbs.

Disposal Instructions

- Dispose of the sight mount and any packaging materials in accordance with local regulations.
- Do not dispose of the sight mount in household waste. Instead, consider recycling if possible.

Contact Information for Further Support

For any inquiries or concerns regarding the S&W Model 52 Vortex Razor Sight Mount, please reach out to your local dealer or manufacturer. Ensure you have your product details available for assistance.

By following these safety instructions, you can ensure that your S&W Model 52 Vortex Razor Sight Mount is used safely and effectively. Thank you for your attention to these important guidelines, and enjoy your shooting experience!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk